

YOUR ONE SOURCE FOR QUALITY BRAND NAME EQUIPMENT, TOOLS AND SUPPLIES FOR THE TIRE INDUSTRY

www.ascotsupply.com



Your World Headquarters for Bead Breaking Tools and Equipment











100 Ton Aluminum



Upgrade Kit



Bead Breaking Rams



55 Ton Aluminum





EE .



Earthmover

Farm



TABI	Г	$\cap \Gamma$	\cap	NIT	- L V	ITC
TABL	\vdash		\cup	IN I	\vdash \mid	. I L

AIR SYSTEMS

Filters, regulators, lubricators & accessories	4
Air Hoses, Air Tools & Air Hose Accessories	6
Impact wrenches & impact wrench accessories	9

WHEEL SERVICE PRODUCTS

Impact socket sets	10
Individual impact sockets	12
Torque wrenches & torque accessories	14

AUTOMOTIVE/FLEET SERVICES

Portable hydraulics & accessories	17
Miscellaneous mechanic's tools	18

Wheel & rim dismounting tools & accessories ______ 20
Bead breakers & bead seating devices _____ 23

TIRE & WHEEL SERVICE

Tire changer accessories	24
Tire swabs and brushes	25
Miscellaneous tire servicing tools	26
TPMS transmitters & accessories	29
Valve hardware tools & accessories	36
Air pressure gauges & inflator gauges	38
Air chucks & accessories	42
Safety inflation cages	43
Wheel balancing tools & accessories	44

TIRE REPAIR

Tire repair tools	48
Tire tags & inspection tools	54

Miscellaneous wheel & rim parts ______46

MATERIAL HANDLING EQUIPMENT

Tire carts, racks & displays	55

Ascot Supply Corporation is not responsible for inadvertent typographical errors or omissions.







112-00378

REGULATORS

FILTERS, REGULATORS, LUBRICATORS & ACCESSORIES

A. General Purpose Filters

- Removes harmful water condensate, pipe scale, dirt and rust from your compressed air system
- Prevents corrosive damage to compressed air equipment and finished products
- Protects components and air tools from premature failure
- Porous sintered bronze element
- Installed upstream of regulators to prevent valve failure
- Also used as pre-filters to oil removing and coalescing filters to ensure high efficiency and long element life in applications such as paint spraying, instrumentation and pharmaceuticals

Ascot No.	Model No.	Pipe Size	Max. SCFM	Bowl Capacity	Bowl Type	Drain	Operating Temp.	Max. Flow	Filter Element
111-30002	F300-02	1/4"	27	1 oz.	Poly	Manual	40°-125°F	150 psig	20 micron
111-35200	F352	1/4"	48	5 oz.	Poly	Manual	40°-125°F	150 psig	40 micron
111-35201	F352W	1/4"	48	6 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-35202	F352Z	1/4"	48	5 oz.	Poly	Piston Auto	40°-125°F	150 psig	40 micron
111-35203	F352FW	1/4"	48	6 oz.	Metal	Float Auto	40°-120°F	175 psig	40 micron
111-35300	F353	3/8"	75	5 oz.	Poly	Manual	40°-125°F	150 psig	40 micron
111-35301	F353W	3/8"	75	5 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-35302	F353Z	3/8"	75	6 oz.	Poly	Piston Auto	40°-125°F	150 psig	40 micron
111-35303	F353FW	3/8"	75	6 oz.	Metal	Float Auto	40°-120°F	175 psig	40 micron
111-35400	F354	1/2"	100	5 oz.	Poly	Manual	40°-125°F	150 psig	40 micron
111-35401	F354W	1/2"	100	6 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-35402	F354Z	1/2"	100	5 oz.	Poly	Piston Auto	40°-125°F	150 psig	40 micron
111-35403	F354FW	1/2"	100	6 oz.	Metal	Float Auto	40°-120°F	175 psig	40 micron
111-37600	F376W	3/4"	230	10 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-37601	F376FW	3/4"	230	10 oz.	Metal	Float Auto	40°-120°F	175 psig	40 micron
111-32908	F329-08W	1"	300	29 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-32910	F329-10W	1-1/4"	400	29 oz.	Metal	Manual	40°-160°F	250 psig	40 micron
111-32912	F329-12W	1-1/2"	425	29 oz.	Metal	Manual	40°-160°F	250 psig	40 micron

B. Regulators

- Specialized control valve reduces upstream supply pressure level to a specified constant downstream pressure
- Regulates air pressure of the air line
- Self-relieving style units

- Available in T-handle or adjustment knob
- Adjustment knob features three position non-rising knob — push to lock, pull to adjust, detach to make tamper resistant
- Reinforced diaphragm for repeated accuracy

Ascot No.	Model No.	Pipe Size	Max. Flow SCFM	Adjustment Type	Pressure Gauge Part No.	Gauge Port	Operating Temp.	Operating Pressure		
112-00162	R162	1/4"	25	Adjustment Knob	117-01681*	1/8" NPT	40°-120°F	5-125 psig		
112-00262	R262**	1/4"	25	Adjustment Knob	117-01681*	1/8" NPT	40°-120°F	5-125 psig		
112-00352	R352	1/4"	50	Adjustment Knob	117-01481*	(2) 1/4" NPT	40°-120°F	5-125 psig		
112-00353	R353	3/8"	80	Adjustment Knob	117-01481*	(2) 1/4" NPT	40°-120°F	5-125 psig		
112-00354	R354T	1/2"	100	T-Handle	117-01481*	(2) 1/4" NPT	40°-120°F	5-125 psig		
112-00376	R376T	3/4"	220	T-Handle	117-01481*	(2) 1/4" NPT	40°-120°F	5-125 psig		
112-00378	R378T	1"	250	T-Handle	117-01481*	(2) 1/4" NPT	40°-120°F	5-125 psig		
112-01352	R352T		1/4" Regulator - T-Handle							
112-01354	R354GH			1/2" Hi	gh Pressure Regulator - 10	-250 Psi.				

*NOTE: Gauge not included. Sold separately. Ascot part number indicated.

3

D

C. Lubricators

- Injects a fine stream of oil into the air stream to automatically lubricate air operated tools and other devices
- Extends life of downstream components
- Precise control of oil feed with needle valve adjustment knob
- Adds minimal pressure drop to the air system
- Features three position non-rising knob—push to lock, pull to adjust, detach to make tamper resistant
- High air flow
- Precise visual adjustment control
- Low flow to establish drip rate
- W is with sight glass and metal bowl

Ascot No.	Model No.	Pipe Size	Max. Flow SCFM	Bowl Capacity	Bowl Type	Operating Temp.	Max. Pressure	Oil Delivery
113-00376	L376W	3/4"	142	10 oz.	Metal	40°-125°F	150 psig	2 scfm
113-01352	L352W	1/4"	16	5 oz.	Metal	40°-175°F	200 psig	2 scfm
113-01353	L353W	3/8"	82	5 oz.	Metal	40°-175°F	200 psig	2 scfm
113-01354	L354W	1/2"	142	5 oz.	Metal	40°-175°F	200 psig	2 scfm



D. Modular Units

- Units include a filter, regulator and lubricator and or filter, regulator and oil removing filter
- Units equipped with or without OSHA safety lock-out valves
- Gauge included


- Screwdriver only tool needed to connect or disconnect units
- Insert interlocking feature allows simple installation in any location

Ascot No.	Model No.	Pipe Size	Max. Flow SCFM	Bowl Capacity	Bowl Type	Drain	Lockout Valve	Operating Temp.	Max. Pressure
114-03352	C33352W	1/4"	100	6 oz.	Metal	Manual	Not Included	40-175° F	250 psig
114-03354	C33354W	1/2"	100	6 oz.	Metal	Manual	Not Included	40-175° F	250 psig
114-13354	VC33354W	1/2"	100	6 oz.	Metal	Manual	Included	40-175° F	250 psig

E. Filter/Regulator Combination Units

- Combines filter and pressure regulator into one space saving unit
- Output performance equal to an individual filter and regulator
- Reduced pressure outputs of 0-125 psig
- Available in metal bowl or polycarbonate bowl with metal bowl guard
- Features three position non-rising knob—push to lock, pull to adjust, detach to make tamper resistant

Ascot No.	Model No.	Pipe Size	Adjustment Type	Max. Flow SCFM	Bowl Capacity	Bowl Type	Drain	Gauge Part No.	Operating Temp.	Max. Pressure
114-75200	B752T	1/4"	T-Handle	50	5 oz.	Poly	Manual	117-01481*	40-125° F	150 psig
114-75201	B752WT	1/4"	T-Handle	50	6 oz.	Metal	Manual	117-01481*	40-175° F	250 psig
114-75202	B752FW	1/4"	Knob	50	6 oz.	Metal	Float Auto	117-01481*	40-125° F	175 psig
114-75203	B752Z	1/4"	Knob	50	5 oz.	Poly	Piston Auto	117-01481*	40-125° F	150 psig
114-75300	B753T	3/8"	T-Handle	80	5 oz.	Poly	Manual	117-01481*	40-125° F	150 psig
114-75301	B753WT	3/8"	T-Handle	80	6 oz.	Metal	Manual	117-01481*	40-175° F	250 psig
114-75302	B753FW	3/8"	Knob	80	6 oz.	Metal	Float Auto	117-01481*	40-125° F	175 psig
114-75303	B753Z	3/8"	Knob	80	5 oz.	Poly	Piston Auto	117-01481*	40-125° F	150 psig
114-75400	B754T	1/2"	T-Handle	100	5 oz.	Poly	Manual	117-01481*	40-125° F	150 psig
114-75401	B754WT	1/2"	T-Handle	100	6 oz.	Metal	Manual	117-01481*	40-175° F	250 psig
114-75402	B754FW	1/2"	Knob	100	6 oz.	Metal	Float Auto	117-01481*	40-125° F	175 psig
114-75403	B754Z	1/2"	Knob	100	5 oz.	Poly	Piston Auto	117-01481*	40-125° F	150 psig







FILTERS, REGULATORS, LUBRICATORS & ACCESSORIES (CTD.)







- Removes submicron particles, particularly oil
- Applications include paint spraying, pneumatic control instrumentation, printing and protection of air bearings
- For maximum efficiency, a pre-filter needs be to installed upstream of oil-removing filter
- Bonded end seals eliminate aerosol leakage past the element
- Inner and outer support ribs are chemical resistant and strengthen element structure
- Drain layers allow filtered elements to drop to bottom of filter with barrier to prevent reentry of drops to downstream air

Ascot No.	Model No.	Pipe Size	Max. Flow SCFM	Bowl Capacity	Bowl Type	Drain	Operating Temp.	Max Pressure	Filter Element
115-55200	F552FW	1/4"	24	6 oz.	Metal	Float Auto	40°-120°F	175 psig	.03 micron
115-55201	F552W	1/4"	24	6 oz.	Metal	Manual	40°-160°F	250 psig	.03 micron
115-55300	F553FW	3/8"	37	6 oz.	Metal	Float Auto	40°-120°F	175 psig	.03 micron
115-55301	F553W	3/8"	37	6 oz.	Metal	Manual	40°-160°F	250 psig	.03 micron
115-55400	F554FW	1/2"	37	6 oz.	Metal	Float Auto	40°-120°F	175 psig	.03 micron
115-55401	F554W	1/2"	37	6 oz.	Metal	Manual	40°-160°F	250 psig	.03 micron




G. Mini In-Line Disposable Desiccant Dryer

- Point-of-use, patented, disposable, mini in-line desiccant dryer removes water vapor, oil vapor and dirt
- Point-of-use on blow guns or spray guns as final protection for critical parts during blow off and paint spraying
- See-through housing shows desiccant bead color change from blue to pink indicating dryer needs to be replaced
- 1/4" NPT connection

Ascot No.	Mfg. No.	Description	QTY.
117-00010	DFD-10	Disposable Desiccant Dryer	2

H. "Filters-Regulators-Lubricators" Accessories





5



I. Automatic Drain

- Automatically expels liquids from piping network in compressed air systems
- Use in low spots in an air system where water accumulates
- Float type drain features a protective stainless steel screen with umbrella baffle, providing large sump area for oil, sludge and dirt
- 1/2" NPT top threaded port

Ascot No.	Mfg. No.	Description
117-05304	T53-04W	1/2" Drip Leg Drain

J. Electric Automatic Compressor Drain

- Automatically drains filters, compressor tanks, drip legs, aftercoolers and receivers
- Opens and closes valve in 1 to 60 minute cycle times and 1 to 30 second blow down time
- 1/4" NPT connection
- Includes Y-strainer

Ascot No.	Mfg. No.	Description
117-05702	5702S	1/4" Automatic Compressor Drain

K. In-Line Air Tool Filter

- In-line filter protects air tools from dirt and debris
- 1-9/16" length, 1/2 oz.
- 40 micron sintered bronze element
- Inlet can be attached directly to pneumatic tools
- 1/4" male x 1/4" female NPT

Ascot No.	Mfg. No.	Description
117-09132	9132	Air Tool Filter







AIR SYSTEMS



Α

AIR HOSES, AIR TOOLS & AIR HOSE ACCESSORIES



A. Coupled Air Hoses

- 325 PSI
- EPDM Abrasion Resistant Cover
- Reinforced With Heavy Duty Polyester Cord
- Bend Restrictors Both Ends
- Premium Machined Brass Alloy Fittings
- -40 to +2000 F

V	Ascot No.	Mfg. No.	Description
V	121-01225	98101646	Coupled 1/2" x 25' Reinforced Domestic Air Hose
	121-01250	98101648	Coupled 1/2" x 50' Reinforced Domestic Air Hose
	121-03825	98101640	Coupled 3/8" x 25' Reinforced Domestic Air Hose
	121-03851	98101642	Coupled 3/8" x 50' Reinforced Domestic Air Hose





B. Extreme-Flex Air Hoses

- Specially Formulated Thermoplastic Compounds Provide Extreme Flexibility in Severe Cold Temperatures
- Hose Features the Light Weight of PVC & Durability of Rubber Without Cold Temperature Stiffness for Easy Handling
- Highly Abrasion Resistant, Non-Marking Cover
- Stronger Wall & Tighter Fabric Reinforcement Improves Hose Kink Resistance & Working/ Burst Pressures Without Sacrificing Flexibility
- Coupled With Brass ¼" MPT
- Molded/Ribbed Reinforced Bend Restrictors

Ascot No.	Mfg. No.	Description
121-23825	N/A	3/8" x 25' Extreme-Flex Air Hose
121-23850	N/A	3/8" x 50' Extreme-Flex Air Hose





C. Blue Polyurethane Recoil Air Hose

- Reinforced Polyurethane
- Self-storing air hose
- 200 PSI working pressure
- Designed for the toughest
- applications
- Supply/tool pigtails eliminate the need for whip hose

Ascot No.	Mfg. No.	Description
123-03812	38-12	3/8 x 12' Blue Polyurethane Recoil Air Hose Cpld ¼" Male x Male Swivel Reusable Couplings
123-03825	38-25	3/8" x 25' Blue Polyurethane Recoil Air Hose Cpld ¼" Male x Male Swivel Reusable couplings

D. Hydraulic Couplers

High-flow hydraulic coupler, 10,000 PSI working pressure

Ascot No.	Mfg. No.	Description
135-10605	PVV-38-M	3/8" Male Hose Half Coupler - For Hydraulic Rams
135-10606	PVV-38-F	3/8" Female Ram Half Coupler - For Hydraulic Rams

ASCOT SUPPLY WAREHOUSE CATALOG | 2011



136-61264 06120-0604 1/4" x 3/8" Hex Bushing	ı	Ascot No.	Mfg. No.	Description
	ı	136-61264	06120-0604	1/4" x 3/8" Hex Bushing

F. Hose Splicers

Ascot No.	Mfg. No.	Description
136-71405	07014-05	5/16" Hose Splicer
136-71406	07014-06	3/8" Hose Splicer
136-71408	07014-08	1/2" Hose Splicer
136-71440	07014-04	1/4" Hose Splicer

G. Standard Male Hose Barb Fittings

- Select fitting to match hose ID
- Fittings must be secured to hose with either a hose clamp or crimped-on ferrule

Ascot No.	Mfg. No.	Description
136-71404	07001-0404	1/4" x 1/4" Hose Barb
136-71504	07001-0504	5/16" x 1/4" Hose Barb
136-71604	07001-0604	3/8" x 1/4" Hose Barb
136-71606	07001-0606	3/8" x 3/8" Hose Barb
136-71806	07001-0806	1/2" x 3/8" Hose Barb
136-71808	07001-0808	1/2" x 1/2" Hose Barb













2-Ear Clamps

AIR HOSES, AIR TOOLS & AIR HOSE ACCESSORIES (CTD.)

G. Low Speed Tire Buffer with Quick Change Slip Chuck

- Brass bushings provide performance and durability in tough working conditions
- Includes whip hose and exhaust hose
- Quick change slip chuck for fast and easy change of buffing wheel
- Built-in regulator
- Lock off throttle to prevent

- accidental start ups
- Rear exhaust directs air away from the work area
- Ideal for patchwork, roughing areas for recapping and cleaning tire moldings
- Equivalent to and has the same dynamics as the CP 873K
- Overhose Kit also Available

Ascot No.	Mfg. No.	Description
158-10873	A873K	Low Speed Tire Buffer with Quick Change Slip Chuck

I. 2-Ear Clamps

- Especially suited for industrial or heavy vibrating equipment
- Medium pressure clamp that is used for maintenance and OEM applications
- Rubber hose, plastic tubing, coaxial and electrical cable, rope are easily clamped
- For air, fluid, gas, steam line

Ascot No.	Mfg. No.	Nominal Size	Inches Closed-Open	MM Closed-Open	Inner Inches	Width of Ear
316-00507	507	1/4"	.197-276"	5-7 mm	.236"	6.0 mm
316-00709	709	5/16"	.276354"	7-9 mm	.276"	7.0 mm
316-00911	911	7/16"	.355433"	9-11 mm	.276"	7.0 mm
316-01113	1113	1/2"	.433512"	11-13 mm	.276"	7.0 mm
316-01315	1315	9/16"	.512591"	13-15 mm	.295"	7.5 mm
316-01517	1517	19/32"				
316-01518	1518	5/8"	.591708"	15-18 mm	.315'	8.0 mm
316-01720	1720	3/4"	.669787"	17-20 mm	.335"	8.5 mm
316-01922	1922	13/16"	.748866"	19-22 mm	.354"	9.0 mm
316-02023	2023	7/8"	.787905"	20-23 mm	.354	9.0 mm
316-02225	2225	15/16"	.866984"	22-25 mm	.394"	10.0 mm
316-02327	2327	1"	.905-1.063"	23-27 mm	.394"	10.0 mm
316-03740	3740	1-1/2"				

J. 2-Ear Clamp Service Kit

Service kit contains the following sizes: (15) 5/16"; (15) 7/16"; (15) 1/2"; (15) 9/16"; (12) 5/8"; (12) 3/4"; (12) 7/8"; (12) 15/16"; (12) 1"; and (1) pair straight jaw pincers

Ascot No.	Mfg. No.	Description
316-91098	SK1098	Service Kit
316-01098	1098	Straight Jaw Pincer

9



IMPACT WRENCHES & IMPACT WRENCH ACCESSORIES

A. 1/2" Super Duty Air Impact Wrench with 2" Extended Anvil

- Most popular tool in its class
- Offers the sheer power and performance features to tackle the toughest of jobs



■ Working torque range: 25-350 ft./lbs.

Ascot No.	Mfg. No.	Description
153-02312	IR231HA-2	IR 231HA-2 1/2" Super Duty Air Impact Wrench with 2" Extended Anvil

B. 1" Drive Heavy Duty Air Impact Wrench

- Perfect for the demanding world of truck tire and service work
- Combines exceptional power, durability and operator convenience
- 360 degree swivel inlet
- 6" extended anvil
- Delivers 1450 ft./lbs. of maximum torque with a 5000 RPM free speed and fourposition power regulator

Ascot No.	Mfg. No.	Description
155-02856	IR285B-6	1" Drive Heavy Duty Air Impact Wrench

C. Impact Wrench Accessories

- Perfect for the demanding world of truck tire and service work
- Combines exceptional power, durability and operator convenience
- 360 degree swivel inlet

- 6" extended anvil
- Delivers 1450 ft./lbs. of maximum torque with a 5000 RPM free speed and four-position power regulator

Ascot No.	Mfg. No.	Description	
173-00018	QC18	Quick Chuck Adapter W/ Collar	
173-00019	QC19	Quick Chuck Adapter W/ Spacer 1" x 3/8" Thread	
173-00020	QC120	Quick Chuck Adapter For 1/8" Shank	
173-00022	QC22	Quick Chuck Adapter For 1/4" Shank	
173-00023	QC23	Quick Chuck Adapter For 5/16" Shank	
175-23142	IR 231-425	IR 1/2" Impact Wrench Retainer Clip	
175-82651	H-082651	1" Impact Wrench Retainer Clip O-Ring	
175-83071	P-08371	O-Ring for 1/2" Impact Wrench Retainer Clips	
175-88097	CA-088097	1/2" CP Impact Wrench Retainer Clips	
175-94791	CA-094791	1" Impact Wrench Retainer Clip	

D. Marvel Air Tool Oil - Quart

- Specially formulated for use in all piston type and rotary air tools as well as in-line air lubricators
- Prevents rust formation while providing positive lubrication for smooth starting and longer tool life
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output
- 6 bottles per case. Equivalent to Marvel MM85R

ı	Ascot No.	Mfg. No.	Description
	181-00085	MM85R	Marvel Air Tool Oil - Quart Size







D

IMPACT SOCKET SETS

Ascot No.	Mfg. No.	Description	Details
163-01150	1150	1/2" DR 13 Piece SAE Set	Contains the following sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
163-01151	1151D	1/2" DR 13 Piece Deep Set	• Contains the following sizes: 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"
163-01152	1152M	1/2" DR 14 Piece Metric Standard Set	 Contains the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm
163-01153	1153MD	1/2" DR 14 Piece Metric Deep Set	 Contains the following sizes: 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 21mm, 22mm, 26mm, 27mm
163-02668	2668	1/2" DR Master 39 Piece SAE Impact Socket Set	 CR-M0 alloy steel for long life Fully guaranteed Heavy duty blow mold case 19 Standard Sockets: 3/8", 7/16", 1/2",9 /16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2" 19 Deep Sockets: 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-3/16", 1-1/4", 1-5/16", 1-3/8", 1-7/16" and 1-1/2" Universal
163-02669	2669	1/2" DR Master 39 Piece Metric Impact Socket Set	 CR-MO alloy steel for long life Fully guaranteed Heavy duty blow mold case 19 Standard Sockets: 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm,16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm and 30mm 19 Deep Sockets: 9mm, 10mm, 11mm, 12mm, 13mm, 14mm, 15mm, 16mm, 17mm, 18mm, 19mm, 20mm, 21mm, 22mm, 23mm, 24mm, 26mm, 27mm and 30mm Universal Joint
163-02849	2849*	1/2" DR Extra Thin Wall 9 Piece SAE & Metric Wheel Protector Socket Set	Durable outer sleeve and insert protects high polished wheels and lug nuts from damage CR-M0 alloy steel for long life Fully guaranteed Heavy duty blow mold case 6 SAE Sockets: 3/4" (light green), 13/16" (purple), 7/8" (green), 15/16" (brown), 1" (silver) and 1-1/16" (black) 3 Metric Sockets: 17mm (blue), 19mm (yellow) and 21mm (red)
163-05153	1153DD	1/2" DR 29 Piece Metric and SAE 6 Point Deep Impact Socket Set	 Contains 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8" and 1-1/4" deep sockets 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 26 and 27mm deep sockets 3/4" x 13/16" deep and 19mm x 21mm deep flip sockets
164-02110	2110	3/4" DR 10 Piece Truck Set	Contains the following sizes: 13/16" Square Socket, 1-1/16", 1-1/8", 1-1/4" Thin Wall Deep Sockets, 1-1/2" Budd Wheel Socket, 17mm & 21mm Square Socket, 33mm, 35mm & 41mm Deep Sockets
164-02181	2181D	3/4" DR 8 Piece SAE Deep Set	■ Contains the following sizes: 1", 1-1/16", 1-1/8", 1-1/4", 1-5/16", 1-3/8", 1-7/16", 1-1/2"
164-02185	2185M	3/4" DR 5 Piece Metric Standard Truck Set	 Contains the following sizes: 4 pts. budd wheel standard length, 17mm, 27mm, 30mm, 33mm, 35mm standard
164-04626	4626	3/4" DR 4 Piece Budd Wheel Socket Set	■ Contains the following sizes: 1-1/2" hex x 13/16 square budd wheel impact socket, 35mm x 17mm square budd wheel impact socket, 41mm x 21mm square budd wheel impact socket and 33mm deep
165-03110	3110	1" DR 10 Piece Truck Set	 Contains the following sizes: 13/16" square, 1-1/16", 1-1/8", 1-1/4" thin wall deep, 1-1/2" deep with inside lip, 17mm & 21mm square with inside lip, 33mm, 35mm & 41mm deep
165-03190	3190	1" DR 9 Piece SAE Truck Set	Contains the following sizes: 13/16", 4 points budd wheel standard length, 7/8", 15/16", 1", 1-3/16", 1-1/2" deep with inside lip, 1-1/16", 1-1/8", 1-1/4" thin wall deep
165-03197	3197M	1" DR 7 Piece Metric Truck Set	Contains the following sizes: 17mm, 21mm, 4 pts. budd wheel standard length, 27mm, 33mm, 36mm, 41mm deep
165-04191	4191	#5 Spline DR 9 Piece SAE Truck Set	Contains the following sizes: 13/16", 4 points budd wheel standard length, 7/8", 15/16", 1", 1-3/16", 1-1/2" deep with inside lip, 1-1/16", 1-1/8", 1-1/4" thin wall deep
165-05626	5626	1" DR 5 Piece Budd Wheel Socket Set	Contains the following sizes: 1-1/2" hex x 13/16" square budd wheel impact socket, 35mm x 17mm square budd wheel impact socket, 38mm x 20mm square budd wheel impact socket, 41mm x 21mm square budd wheel impact socket and 33mm deep
167-12050	1205D	1/2" DR 5 Piece Deep Thin Wall Flip Set	■ Contains the following sizes: 3/4" x 13/16", 19mm x 21mm, 7/8" x 15/16", 17mm x 19mm, 3" extension

*Replacement Sockets for 2849 Set

Ascot No.	Mfg. No.	Description
163-28492	28492	1/2"x3/4"
163-28494	28484	1/2"x13/16"
163-28496	28496	1/2"x7/8"

Ascot No.	Mfg. No.	Description
163-28498	28498	1/2"x15/16"
163-28910	284910	1/2"x1"
163-28912	284912	1/2"x1-1/16"

Ascot No.	Mfg. No.	Description
163-28917	284917	1/2"x17mm
163-28919	284919	1/2"x19mm
163-28921	284921	1/2"x21mm









INDIVIDUAL IMPACT SOCKETS

	Ascot No.	Mfg. No.	Description
	ASSOCIATION	mig. No.	METRIC
	163-10100	1010M	1/2" Drive x 10mm Std.
	163-10111	1011M	1/2" Drive x 11mm Std.
	163-10120	1012M	1/2" Drive x 12mm Std.
	163-10130	1013M	1/2" Drive x 13mm Std.
	163-10142	1014M	1/2" Drive x 14mm Std.
	163-10150	1015M	1/2" Drive x 15mm Std.
	163-10162	1016M	1/2" Drive x 16mm Std.
	163-10170	1017M	1/2" Drive x 17mm Std.
	163-10182	1018M	1/2" Drive x 18mm Std.
ETS	163-10190	1019M	1/2" Drive x 19mm Std.
S	163-10210	1021M	1/2" Drive x 21mm Std.
کر ⊢	163-10221	1022M	1/2" Drive x 22mm Std
∀	163-10262	1026M	1/2" Drive x 26mm Std.
Ē	163-10270	1027M	1/2" Drive x 27mm Std.
RD			SAE
	163-10140	1014	1/2" Drive x 7/16" Std.
STA	163-10160	1016	1/2" Drive x 1/2" Std.
품	163-10180	1018	1/2" Drive x 9/16" Std.
/2" DR STANDARD IMPACT SOCKETS	163-10200	1020	1/2" Drive x 5/8" Std.
_	163-10220	1022	1/2" Drive x 11/16" Std.
	163-10240	1024	1/2" Drive x 3/4" Std.
	163-10260	1026	1/2" Drive x 13/16" Std.
	163-10280	1028	1/2" Drive x 7/8" Std.
	163-01030	1030	1/2" Drive x 15/16" Std.
	163-10320	1032	1/2" Drive x 1" Std.
	163-10340	1034	1/2" Drive x 1-1/16" Std.
	163-10360	1036	1/2" Drive x 1-1/8" Std.
	163-10400	1040	1/2" Drive x 1-1/4" Std.
			METRIC
တ	163-10172	1017MEDT	1/2" Drive x 17mm Extra Thin Wall
	163-10191	1019MEDT	1/2" Drive x 19mm Extra Thin Wall
<u> </u>	163-10211	1021MEDT	1/2" Drive x 21mm Extra Thin Wall
SLS	163-10223	1022MEDT	1/2" Drive x 22mm Extra Thin Wall
<u>I</u>	163-10230	1023MEDT	1/2" Drive x 23mm Extra Thin Wall
WALL IMPACT SOCKETS			SAE
¥	163-10241	1024EDT	1/2" Drive x 3/4" Extra Thin Wall
7	163-10261	1026EDT	1/2" Drive x 13/16" Extra Thin Wall
	163-10282	1028EDT	1/2" Drive x 7/8" Extra Thin Wall
			METRIC
	167-12179	1271DT	1/2" Dr. x 17mm x 19mm Deep Thin Flip
ည	167-12910	1291	1/2" Dr. x 19mm x 21mm Std. Flip
Ä	167-12911	1291D	1/2" Dr. x 19mm x 21mm Deep Flip
30C	167-12912	1291DT	1/2" Dr. x 19mm x 21mm Deep Extra Thin Flip
Ç			SAE
IMPACT SOCKETS	167-12460	1246D	1/2" Dr. x 3/4" x 13/16" Deep Flip
	167-12461	1246DT	1/2" Dr. x 3/4" x 13/16" Deep Extra Thin Flip
	167-12490	1249D	1/2" Dr. x 7/8" x 15/16" Deep Flip
	167-12510	1251D	1/2" Dr. x 1" x 1-1/16" Deep Flip

METRIC 163-10101 1010MD 1/2" Drive x 10mm Deep 163-10121 1012MD 1/2" Drive x 12mm Deep 163-10131 1013MD 1/2" Drive x 13mm Deep 163-10143 1014MD 1/2" Drive x 14mm Deep 163-10151 1015MD 1/2" Drive x 15mm Deep 163-10163 1016MD 1/2" Drive x 16mm Deep 163-10171 1017MD 1/2" Drive x 17mm Deep 163-10181 1018MD 1/2" Drive x 18mm Deep 163-01018 1018MD 1/2" Drive x 19mm Deep 163-01019 1019MD 1/2" Drive x 21mm Deep 163-01021 1021MD 1/2" Drive x 22mm Deep 163-10222 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 22mm Deep 163-1032 1032MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 33mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep 163-10161 1016D 1/2" Drive x 7/16" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01034 1034D 1/2" Drive x 13/16" Deep 163-01034 1034D 1/2" Drive x 13/16" Deep 163-01034 1034D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01048 1048D 1/2" Drive x 1-1/16" Deep 163-01048 1048D	Ascot No.	Mfg. No.	Description
163-10101 1010MD 1/2" Drive x 10mm Deep 163-10121 1012MD 1/2" Drive x 12mm Deep 163-10131 1013MD 1/2" Drive x 13mm Deep 163-10143 1014MD 1/2" Drive x 14mm Deep 163-10151 1015MD 1/2" Drive x 15mm Deep 163-10163 1016MD 1/2" Drive x 15mm Deep 163-10171 1017MD 1/2" Drive x 17mm Deep 163-01018 1018MD 1/2" Drive x 19mm Deep 163-01019 1019MD 1/2" Drive x 19mm Deep 163-01021 1021MD 1/2" Drive x 22mm Deep 163-10222 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 27mm Deep 163-10321 1032MD 1/2" Drive x 32mm Deep 163-10322 1032MD 1/2" Drive x 33mm Deep 163-10133 1033MD 1/2" Drive x 3716" Deep 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 3/16" Deep 163-10181 1018D 1/2" Drive x 13/16" Deep 163-01024 1024D			METRIC
163-10131 1013MD 1/2" Drive x 13mm Deep 163-10143 1014MD 1/2" Drive x 14mm Deep 163-10151 1015MD 1/2" Drive x 15mm Deep 163-10163 1016MD 1/2" Drive x 16mm Deep 163-10171 1017MD 1/2" Drive x 18mm Deep 163-01018 1018MD 1/2" Drive x 19mm Deep 163-01019 1019MD 1/2" Drive x 21mm Deep 163-01021 1021MD 1/2" Drive x 21mm Deep 163-01022 1022MD 1/2" Drive x 22mm Deep 163-10231 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-01031 1014D 1/2" Drive x 7/16" Deep 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10151 1018D 1/2" Drive x 1/2" Deep 163-10201 1020D 1/2" Drive x 1/3" Deep 163-01034 1024D 1/2" Drive x 13/16" Deep 163-01034 1024D 1/2" Drive x 13/16" Deep 163-01034	163-10101	1010MD	
163-10143 1014MD 1/2" Drive x 14mm Deep 163-10151 1015MD 1/2" Drive x 15mm Deep 163-10163 1016MD 1/2" Drive x 16mm Deep 163-10171 1017MD 1/2" Drive x 17mm Deep 163-01018 1018MD 1/2" Drive x 18mm Deep 163-01019 1019MD 1/2" Drive x 19mm Deep 163-01021 1021MD 1/2" Drive x 21mm Deep 163-10222 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 22mm Deep 163-10271 1027MD 1/2" Drive x 32mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep 8AE 163-10161 1016D 1/2" Drive x 7/16" Deep 163-10181 1018D 1/2" Drive x 1/2" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01024 1028D 1/2" Drive x 13/16" Deep 163-10301	163-10121	1012MD	1/2" Drive x 12mm Deep
163-10151 1015MD 1/2" Drive x 15mm Deep 163-10163 1016MD 1/2" Drive x 16mm Deep 163-10171 1017MD 1/2" Drive x 17mm Deep 163-01018 1018MD 1/2" Drive x 18mm Deep 163-01019 1019MD 1/2" Drive x 19mm Deep 163-01021 1021MD 1/2" Drive x 21mm Deep 163-10222 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 26mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-1032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 37mm Deep 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 5/8" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 14 163-01034 1034D 1/2	163-10131	1013MD	1/2" Drive x 13mm Deep
163-10163 1016MD 1/2" Drive x 16mm Deep 163-10171 1017MD 1/2" Drive x 17mm Deep 163-01018 1018MD 1/2" Drive x 18mm Deep 163-01019 1019MD 1/2" Drive x 19mm Deep 163-01021 1021MD 1/2" Drive x 21mm Deep 163-01022 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 27mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-01031 1016D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 5/8" Deep 163-10181 1018D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01024 1026D 1/2" Drive x 13/16" Deep 163-01024 1028D 1/2" Drive x 15/16" Deep 163-01034 1030D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01041 1040D 1/2" Drive x 1-1/2" Deep 164-02017	163-10143	1014MD	1/2" Drive x 14mm Deep
163-10171 1017MD 1/2" Drive x 17mm Deep 163-01018 1018MD 1/2" Drive x 18mm Deep 163-01019 1019MD 1/2" Drive x 19mm Deep 163-01021 1021MD 1/2" Drive x 21mm Deep 163-01022 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 26mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-01031 1016D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 15/16" Deep 163-10300 1030D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036	163-10151	1015MD	1/2" Drive x 15mm Deep
163-01018 1018MD 1/2" Drive x 18mm Deep 163-01019 1019MD 1/2" Drive x 19mm Deep 163-01021 1021MD 1/2" Drive x 21mm Deep 163-01022 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 26mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-01041 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 3/4" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01026 1026D 1/2" Drive x 15/16" Deep 163-01031 1030D 1/2" Drive x 15/16" Deep 163-10300 1030D 1/2" Drive x 1-1/8" Deep 163-01034 1034D 1/2" Drive x 1-1/8" Deep 163-01034 1034D 1/2" Drive x 1-1/8" Deep 163-01034	163-10163	1016MD	1/2" Drive x 16mm Deep
163-01019 1019MD 1/2" Drive x 19mm Deep 163-01021 1021MD 1/2" Drive x 21mm Deep 163-10222 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 26mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10181 1018D 1/2" Drive x 1/2" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-10201 1020D 1/2" Drive x 3/4" Deep 163-01024 1024D 1/2" Drive x 13/16" Deep 163-01025 1026D 1/2" Drive x 15/16" Deep 163-10281 1028D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/8" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep	163-10171	1017MD	1/2" Drive x 17mm Deep
163-01021 1021MD 1/2" Drive x 21mm Deep 163-10222 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 26mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01025 1026D 1/2" Drive x 13/16" Deep 163-01026 1026D 1/2" Drive x 7/8" Deep 163-01031 1030D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/8" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-01048 1048D 1/2" Drive x 1-1/8" Deep 164-02017 2017MS 3/4" Drive x 19mm Square	163-01018	1018MD	1/2" Drive x 18mm Deep
163-10222 1022MD 1/2" Drive x 22mm Deep 163-10263 1026MD 1/2" Drive x 26mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 1/4" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-010281 1028D 1/2" Drive x 15/16" Deep 163-01034 1030D 1/2" Drive x 1-1/8" Deep 163-01034 1034D 1/2" Drive x 1-1/8" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 19mm Square 164-02021 2021MS 3/4" Drive x 21mm Square	163-01019	1019MD	1/2" Drive x 19mm Deep
163-10263 1026MD 1/2" Drive x 26mm Deep 163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01025 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-01041 1040D 1/2" Drive x 1-1/2" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 21mm Square 164-02021 2021MS 3/4" Drive x 3/4" Deep	163-01021	1021MD	1/2" Drive x 21mm Deep
163-10271 1027MD 1/2" Drive x 27mm Deep 163-01032 1032MD 1/2" Drive x 32mm Deep 163-01033 1033MD 1/2" Drive x 33mm Deep SAE 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-01041 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 19mm Square 164-02029 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 3/4" Deep 164-02024 2024D 3/4" Drive x 13/16" Square <th>163-10222</th> <th>1022MD</th> <th>1/2" Drive x 22mm Deep</th>	163-10222	1022MD	1/2" Drive x 22mm Deep
163-01032 1032MD 1/2" Drive x 32mm Deep SAE 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 5/8" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 1-1/2" Deep 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 3/4" Deep 164-02028 2028D 3/4" Drive x 7/8" Deep	163-10263	1026MD	1/2" Drive x 26mm Deep
163-01033	163-10271	1027MD	1/2" Drive x 27mm Deep
SAE 163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-010401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 1-1/2" Deep 164-02017 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 7/8" Deep	163-01032	1032MD	1/2" Drive x 32mm Deep
163-10141 1014D 1/2" Drive x 7/16" Deep 163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-01028 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-010401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 15/16" Std.	163-01033	1033MD	1/2" Drive x 33mm Deep
163-10161 1016D 1/2" Drive x 1/2" Deep 163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-10201 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-010281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-010401 1040D 1/2" Drive x 1-1/2" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 21mm Square 164-02021 2021MS 3/4" Drive x 3/4" Deep 164-02024 2024D 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.			SAE
163-10181 1018D 1/2" Drive x 9/16" Deep 163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-010281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-01036 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 15/16" Std.	163-10141	1014D	1/2" Drive x 7/16" Deep
163-10201 1020D 1/2" Drive x 5/8" Deep 163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 7/8" Deep 164-02028 2028D 3/4" Drive x 15/16" Std.	163-10161	1016D	1/2" Drive x 1/2" Deep
163-01024 1024D 1/2" Drive x 3/4" Deep 163-01026 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 7/8" Deep 164-02028 2028D 3/4" Drive x 15/16" Std.	163-10181	1018D	1/2" Drive x 9/16" Deep
163-01026 1026D 1/2" Drive x 13/16" Deep 163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-10201	1020D	1/2" Drive x 5/8" Deep
163-10281 1028D 1/2" Drive x 7/8" Deep 163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-01024	1024D	1/2" Drive x 3/4" Deep
163-10300 1030D 1/2" Drive x 15/16" Deep 163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-01026	1026D	1/2" Drive x 13/16" Deep
163-01034 1034D 1/2" Drive x 1-1/16" Deep 163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-10281	1028D	1/2" Drive x 7/8" Deep
163-01036 1036D 1/2" Drive x 1-1/8" Deep 163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-10300	1030D	1/2" Drive x 15/16" Deep
163-10401 1040D 1/2" Drive x 1-1/4" Deep 163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-01034	1034D	1/2" Drive x 1-1/16" Deep
163-01048 1048D 1/2" Drive x 1-1/2" Deep 164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-01036	1036D	1/2" Drive x 1-1/8" Deep
164-02017 2017MS 3/4" Drive x 17mm Square 164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-10401	1040D	1/2" Drive x 1-1/4" Deep
164-02019 2019MS 3/4" Drive x 19mm Square 164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	163-01048	1048D	1/2" Drive x 1-1/2" Deep
164-02020 2020MS 3/4" Drive x 20mm Square 164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	164-02017	2017MS	3/4" Drive x 17mm Square
164-02021 2021MS 3/4" Drive x 21mm Square 164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	164-02019	2019MS	3/4" Drive x 19mm Square
164-02024 2024D 3/4" Drive x 3/4" Deep 164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	164-02020	2020MS	3/4" Drive x 20mm Square
164-02026 2026S 3/4" Drive x 13/16" Square 164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	164-02021	2021MS	3/4" Drive x 21mm Square
164-02028 2028D 3/4" Drive x 7/8" Deep 164-02030 2030 3/4" Drive x 15/16" Std.	164-02024	2024D	3/4" Drive x 3/4" Deep
164-02030 2030 3/4" Drive x 15/16" Std.	164-02026	2026S	3/4" Drive x 13/16" Square
	164-02028	2028D	3/4" Drive x 7/8" Deep
164-02032 2032D 3/4" Drive x 1" Deen	164-02030	2030	3/4" Drive x 15/16" Std.
101 02002 2002b 0/4 blive x 1 book	164-02032	2032D	3/4" Drive x 1" Deep
164-02033 2033MD 3/4" Drive x 33mm Deep	164-02033	2033MD	3/4" Drive x 33mm Deep
164-02034 2034DT 3/4" Drive x 1-1/16" Deep Thin Wall	164-02034	2034DT	3/4" Drive x 1-1/16" Deep Thin Wall



" DR METRIC IMPACT SOCKE
DR METRIC IMPACT SOCKE
DR METRIC IMPACT SOCKE
)R METRIC IMPACT SOCKE
R METRIC IMPACT SOCKE
R METRIC IMPACT SOCKE
VIETRIC IMPACT SOCKE
VIETRIC IMPACT SOCKE
VIETRIC IMPACT SOCKE
METRIC IMPACT SOCKE
IETRIC IMPACT SOCKE
ETRIC IMPACT SOCKE
TRIC IMPACT SOCKE
TRIC IMPACT SOCKE
TRIC IMPACT SOCKE
RIC IMPACT SOCKE
RIC IMPACT SOCKE
RIC IMPACT SOCKE
C IMPACT SOCKE
C IMPACT SOCKE
C IMPACT SOCKE
) IMPACT SOCKE
IMPACT SOCKE
MPACT SOCKE
MPACT SOCKE
MPACT SOCKE
MPACT SOCKE
IPACT SOCKE
PACT SOCKE
ACT SOCKE
ACT SOCKE
ACT SOCKE
CT SOCKE
CT SOCKE
SOCKE SOCKE
SOCKE SOCKE
읈
읈
옾
굺
풆
윽
≏
윽
-
100


#5 SPLINE DR IMPACT SOCKETS

IMPACT EXTENSIONS & ADAPTERS

	Ascot No.	Mfg. No.	Description
			METRIC
	164-20270	2027M	3/4" Drive x 27mm Std.
	164-20271	2027MD	3/4" Drive x 27mm Deep
	164-20301	2030M	3/4" Drive x 30mm Std.
	164-20330	2033M	3/4" Drive x 33mm Std.
	164-02035	2035M	3/4" Drive x 35mm Std.
	164-20350	2035MD	3/4" Drive x 35mm Deep
	164-20360	2036MD	3/4" Drive x 36mm Deep
	164-02041	2041MD	3/4" Drive x 41mm Deep
			SAE
EIS	164-20260	2026D	3/4" Drive x 13/16" Deep
Š	164-20300	2030D	3/4" Drive x 15/16" Deep
3/4" DR IMPACT SOCKETS	164-02036	2036DT	3/4" Drive x 1-1/8" Deep Thin Wall
AC	164-20401	2040D	3/4" Drive x 1-1/4" Deep
Ē	164-20402	2040DT	3/4" Drive x 1-1/4" Deep Thin Wall
E	164-02038	2038D	3/4" Drive x 1-3/16" Deep
.4"	164-02042	2042D	3/4" Drive x 1-5/16" Deep
	164-02044	2044D	3/4" Drive x 1-3/8" Deep
	164-02046	2046D	3/4" Drive x 1-7/16" Deep
	164-20480	2048	3/4" Drive x 1-1/2" Std.
	164-20481	2048D	3/4" Drive x 1-1/2" Deep
	164-20482	2048DR	3/4" Drive x 1-1/2" Limited Depth
	164-02052	2052D	3/4" Drive x 1-5/8" Deep
	164-02056	2056D	3/4" Drive x 1-3/4" Deep
	164-02060	2060D	3/4" Drive x 1-7/8" Deep
	164-02323	2323C	3/4" Drive x 1-1/2" Hex x 13/16" Square
	165-03026	3026S	1" Drive x 13/16" Square
	165-03030	3030S	1" Drive x 15/16" Square
	165-03034	3034DT	1" Drive x 1-1/16" Thin Wall Deep
	165-03042	3042D	1" Drive x 1-5/16" Deep
	165-03044	3044D	1" Drive x 1-3/8" Deep
	165-03046	3046D	1" Drive x 1-7/16" Deep
	165-03052	3052D	1" Drive x 1-5/8" Deep
	165-03054	3054D	1" Drive x 1-11/16" Deep
	165-03056	3056D	1" Drive x 1-3/4" Deep
	165-03060	3060D	1" Drive x 1-7/8" Deep
	165-03323	3323C	1" Drive 1-1/2" Hex x 13/16" Square
ETS	165-30280	3028	1" Drive x 7/8" Std.
Š	165-30281	3028D	1" Drive x 7/8" Deep
S L	165-30300	3030	1" Drive x 15/16" Std.
AC	165-30301	3030D	1" Drive x 15/16" Deep
₫	165-30320	3032	1" Drive x 1" Std.
SAE	165-30321	3032D	1" Drive x 1" Deep
1" DR SAE IMPACT SOCKETS	165-30361	3036D	1" Drive x 1-1/8" Deep
<u></u>	165-30362	3036DT	1" Drive x 1-1/8" Deep Thin Wall
	165-30380	3038D	1" Drive x 1-3/16" Deep
	165-30401	3040D	1" Drive x 1-1/4" Deep
	165-30402	3040DT	1" Drive x 1-1/4" Deep Thin Wall
	165-30420	3042DT	1" Drive x 1-5/16" Deep Thin Wall
	165-30481	3048D	1" Drive x 1-1/2" Deep w/Inside Lip
	165-30482	3048DR	1" Drive x 1-1/2" Deep - Standard
	165-30483	3048	1" Drive x 1-1/2" Std.

	Mfg. No.	Description	
Ascot No. 165-03017	3017MS	1" Drive x 17mm Square	
165-03019	3019MS	1" Drive x 19mm Square	
165-03020	3020MS	1" Drive x 20mm Square	Ŀ
165-03021	3021MS	1" Drive x 21mm Square	5
165-03027	3027MD	1" Drive x 27mm Deep	
165-30302	3030MD	1" Drive x 30mm Deep	
165-03033	3033MD	1" Drive x 33mm Deep	UN MIETNIC IMITACT SOCKETS
165-03035	3035MD	1" Drive x 35mm Deep	
165-30381	3038MD	1" Drive x 38mm Deep	Ś
165-30410	3041MDT	1" Drive x 41mm Deep Thin Wall	٤
165-03041	3041MD	1" Drive x 41mm Deep	Ž
165-03321	3321MC	1" Drive 41mm x 21mm Square	2
165-03517	3517MC	1" Drive x 35mm Deep x 17mm Sq.	
165-03820	3820MC	1" Drive x 38mm Deep x 20mm Sq.	
		METRIC	
166-04033	4033MD	#5 Spline x 33mm Deep	
166-04035	4035MDT	#5 Spline x 35mm Deep Thin Wall	
166-04041	4041MDT	#5 Spline x 41mm Deep Thin Wall	5
		SAE	#3 SPEINE DR IMPAGE SOCKETS
166-04026	4026S	#5 Spline x 13/16" Square	Ē
166-04034	4034DT	#5 Spline x 1-1/16" Deep Thin Wall	3
166-40360	4036D	#5 Spline x 1-1/8" Deep	
166-40361	4036DT	#5 Spline x 1-1/8" Deep Thin Wall	3
166-04038	4038	#5 Spline x 1-3/16" Std.	٤
166-04040	4040DT	#5 Spline x 1-1/4" Deep Thin Wall	Š
166-04042	4042DT	#5 Spline x 1-5/16" Deep Thin Wall	=
166-04048	4048D	#5 Spline x 1-1/2" Deep w/Inside Lip	
166-40480	4048DT	#5 Spline x 1-1/2" Deep Thin Wall	
166-04323	4323C	#5 Spline x 13/16" Square x 1-1/2" Hex	
169-01003	1003E	1/2" Drive x 3" Extension	
169-01005	1005E	1/2" Drive x 5" Extension	
169-01020	1020A	1/2" Drive Female x 3/4" Male Adapt.	
169-02006	2006E	3/4" Drive x 6" Extension	
169-02010			
100 00000	2010A	3/4" Drive Female x 1/2" Male Adapt.	
169-02030	2030A	3/4" Drive Female x 1" Male Adapt.	
169-20100	2030A 2010E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension	
169-20100 169-02013	2030A 2010E 2013E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension	
169-20100 169-02013 169-03006	2030A 2010E 2013E 3006E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension	
169-20100 169-02013 169-03006 169-03010	2030A 2010E 2013E 3006E 3010E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension	
169-20100 169-02013 169-03006 169-03010 169-03013	2030A 2010E 2013E 3006E 3010E 3013E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension	
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020	2030A 2010E 2013E 3006E 3010E 3013E 3020A	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt.	INIT ACT
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt.	INTACTEXTEN
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt.	INIT ACT EXTENSION
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01002	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension	IMIT ACT EXTENSIONS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01002 169-01003	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension	INIT ACT EXTENSIONS &
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01003 169-01005	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension	INFACT EXTENSIONS & ADAM
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01003 169-01005 169-02006	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 1005E 2006E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 1/2" Drive x 5" Impact Extension 3/4" Drive x 6" Impact Extension	
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01003 169-01005	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 1/2" Drive x 5" Impact Extension	INITACI EXTENSIONS & ADAT LENS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01002 169-01005 169-02006 169-20100	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 2006E 2010E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 1/2" Drive x 5" Impact Extension 3/4" Drive x 6" Impact Extension 3/4" Drive x 10" Impact Extension	INITAGE EXTENSIONS & ACAP IEDS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01003 169-01005 169-02006 169-20100 169-02013	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 1005E 2006E 2010E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 1/2" Drive x 6" Impact Extension 3/4" Drive x 10" Impact Extension 3/4" Drive x 10" Impact Extension 3/4" Drive x 13" Impact Extension	INTAC EXTENSIONS & ADAT LENS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01003 169-01005 169-02006 169-20100 169-02013 169-03006	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 1005E 2010E 2011E 2013E 3006E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 1/2" Drive x 6" Impact Extension 3/4" Drive x 10" Impact Extension 3/4" Drive x 10" Impact Extension 3/4" Drive x 13" Impact Extension 1" Drive x 6" Impact Extension	INITAGE EXTENSIONS & ADAT LEDS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01002 169-01005 169-02006 169-02013 169-03006 169-03010	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 1005E 2010E 2013E 3006E 3010E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 3/4" Drive x 6" Impact Extension 3/4" Drive x 10" Impact Extension 1" Drive x 6" Impact Extension 1" Drive x 6" Impact Extension 1" Drive x 10" Impact Extension	INT ACT EXTENSIONS & ACAT TENS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01002 169-01005 169-02006 169-02013 169-03006 169-03010 169-03013	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 1005E 2010E 2013E 3006E 3010E 3013E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 3/4" Drive x 5" Impact Extension 3/4" Drive x 10" Impact Extension 3/4" Drive x 10" Impact Extension 1" Drive x 10" Impact Extension	INITAGE EXTENSIONS & ADAT LEGS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-04020 169-01002 169-01005 169-02013 169-02013 169-03006 169-03010 169-03013 169-03013	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 2006E 2010E 2013E 3006E 3013E 3013E 3013E	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 3/4" Drive x 5" Impact Extension 3/4" Drive x 6" Impact Extension 3/4" Drive x 10" Impact Extension 1" Drive Female x 3/4" Male Impact Adapter	INTENDIONO & ADAT IEDO
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04020 169-01002 169-01003 169-01005 169-02006 169-20100 169-02013 169-03013 169-03013 169-03010 169-03010	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 2006E 2010E 2013E 3006E 3010E 3013E 3020A	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 1/2" Drive x 5" Impact Extension 3/4" Drive x 6" Impact Extension 3/4" Drive x 10" Impact Extension 1" Drive x 13" Impact Extension 1" Drive x 10" Impact Extension 1" Drive x 10" Impact Extension 1" Drive x 10" Impact Extension 1" Drive x 13" Impact Extension	INITACT EXTENSIONS & ADAT TERS
169-20100 169-02013 169-03006 169-03010 169-03013 169-03020 169-04010 169-01002 169-01005 169-01005 169-20100 169-02013 169-03010 169-03010 169-03010 169-03010 169-02010 169-02010	2030A 2010E 2013E 3006E 3010E 3013E 3020A 4010A 4020A 1002E 1003E 1005E 2010E 2013E 3006E 3010E 3010E 3013E 3020A	3/4" Drive Female x 1" Male Adapt. 3/4" Drive x 10" Extension 3/4" Drive x 13" Extension 1" Drive x 6" Extension 1" Drive x 10" Extension 1" Drive x 13" Extension 1" Drive x 13" Extension 1" Drive Female x 3/4" Male Adapt. #5 Spline Female x 3/4" Male Adapt. #5 Spline Female x 1" Male Adapt. 1/4" Drive x 2" Chrome Extension 1/2" Drive x 3" Impact Extension 1/2" Drive x 5" Impact Extension 3/4" Drive x 6" Impact Extension 3/4" Drive x 10" Impact Extension 1" Drive x 6" Impact Extension 1" Drive x 10" Impact Extension 1" Drive x 10" Impact Extension 1" Drive x 10" Impact Extension 1" Drive x 13" Impact Extension 1" Drive x 13" Impact Extension 1" Drive x 13" Impact Extension 1" Drive Female x 3/4" Male Impact Adapter 3/4" Drive Female x 1" Male Impact Adapter (Sunex 4300)	IMPACI EXIENSIONS & ADAPTEDS







A. Laminated 2011 Torque Chart - Poster Size

- Wall chart measuring 2' x 3'
- Provides lug nut specifications for cars and light trucks to Model Year 2011
- For use with Original Equipment wheels
- Laminated for durability
- Shipped in a protective mailing tube
- Similar to Tire Guides Lug Nut Torque Chart

Ascot No.	Description
168-02011	Laminated 2011 Torque Chart - Poster Size

B. Valve Nut Torque Wrenches

- These wrenches give the user two sensory identifiers indicating to the user that the application of torque has been achieved for tightening the fastener.
- Both a tactile impulse and a visual indicator alert the user that complete and proper torque has been applied.



Ascot No.	Mfg. No.	Description
168-01942	CTP-150-1-9-42	Valve Nut Torque Wrench - 9/16" - "Visual indicating torque wrench for TR570 series tire valves. Preset at 42 in./lbs.
168-10100	CTP-150-1-9-42	Valve Nut Torque Wrench - 5/8" - "Visual indicating torque wrench for TR540 & TR550 series tire valves. Preset at 100 in./lbs.

C. Torque Wrenches

Ascot No.	Mfg. No.	Description
168-01501	1501MRMH	1/4" Drive 20-150 In./Lb. Adjustable
168-47501	1-475	1" Drive x 475 Ft./Lb. Preset
168-47534	3/4-475	3/4" Drive x 475 Ft./Lb. Preset
168-96509	96-500-9RK	Preset Torque Wrench Ratchet Head Repair Kit

168-01501



D. 1/2" Drive 22mm Torque Sockets

- Constructed from heat treated spring steel
- Solid one-piece construction
- Deep well

Ascot No.	Mfg. No.	Description
168-22110	122110M	1/2" Drive 22mm 110 Ft./Lb. Torque Socket - Copper Applications: Buick LaCrosse 2010+, Regal 2011+, Cadillac XTS 2011+, Chevrolet Camaro 2011+, Saab 9-4X 2010+
168-12254	122115M	1/2" Drive 22mm 154 Ft./Lb. Torque Socket - Pink Applications: Toyota Land Cruiser 2004-06, 2008+, Tundra

E. 10 Pc. 1/2" Drive Torque Limiting Socket Set

- Contains the most popular torque sockets to service the majority of passenger cars and light trucks
- Set includes all 10 torque sockets listed below
- Lifetime warranty
- Heavy duty blow molded case

Ascot No.	Mfg. No.	Description
168-02880	12880	10 Pc. Torque Limiting Socket Set
168-21755	121755M	1/2" Drive 17mm - 55 Ft./Lbs. Torque Socket - Green
168-21780	121780M	1/2" Drive 17mm - 80 Ft./Lbs. Torque Socket - Red
168-21910	121910M	1/2" Drive 19mm (3/4") - 100 Ft./Lbs. Torque Socket - Gray
168-21965	121965M	1/2" Drive 19mm (3/4") - 65 Ft./Lbs. Torque Socket - Yellow
168-21980	121980M	1/2" Drive 19mm (3/4") - 80 Ft./Lbs. Torque Socket - Blue
168-22180	122180M	1/2" Drive 21mm - 80 Ft./Lbs. Torque Socket - Light Brown
168-22212	122212M	1/2" Drive 22mm (7/8") - 120 Ft./Lbs. Torque Socket - White
168-22214	122214M	1/2" Drive 22mm (7/8") - 140 Ft./Lbs. Torque Socket - Turquoise
168-22610	122610	1/2" Drive 13/16" - 100 Ft./Lbs. Torque Socket - Brown
168-23014	123014	1/2" Drive 15/16" - 140 Ft./Lbs. Torque Socket - Light Green

F. 1/2" Drive 5 Pc. Torque Limiting Extension Set

- Set includes all 5 extension sockets listed below
- Provides the ability to torque wheel nuts on passenger cars to the correct specification
- Individual extensions sold separately
- Set comes in a durable plastic blow molded case

Ascot No.	Mfg. No.	Description
168-12450	2450	1/2" Drive 5 pc. Torque Limiting Extension Set
168-12410	24100	1/2" Drive 100 Ft./Lb. Torque Limiting Extension - Gray
168-12412	24120	1/2" Drive 120 Ft./Lb. Torque Limiting Extension - White
168-12414	24140	1/2" Drive 140 Ft./Lb. Torque Limiting Extension - Aqua
168-12465	2465	1/2" Drive 65 Ft./Lb. Torque Limiting Extension - Yellow
168-12480	2480	1/2" Drive 80 Ft./Lb. Torque Limiting Extension - Blue





10 Pc. 1/2" Drive Torque Limiting Socket Set



168-13000 4 Piece Wheel Torque Wrench Set

WRENCHES

G. Wheel Torque Wrenches

TORQUE WRENCHES & TORQUE ACCESSORIES (CTD.)

- One-way, not bi-directional
- +/- 4% accuracy
- Cushioned ratchet heads
- Made in the USA
- Color coded presets

4 PIECE WHEEL TORQUE WRENCH SET

- Wrenches Included: Blue, Grey, White and Aqua
- 1/2" Drive Sockets Included: 17mm, 19mm, 21mm, 3/4", 13/16", 7/8", and a 6" extension socket
- Includes color coded wall board for easy access
- Made in the USA
- Color coded presets

Ascot No.	Mfg. No.	Description
168-13000	PTWS-1	4-Wrench Preset Torque Wrench Set

6 PIECE WHEEL TOROUE WRENCH SET

- Wrenches Included: Yellow, Blue, Grey, White, Aqua and the adjustable torque wrench
- 1/2" Drive Sockets Included: 17mm, 19mm, 21mm, 3/4", 13/16", 7/8", and a 6" extension socket
- Includes color coded wall board for easy access

Ascot No.	Mfg. No.	Description
168-16000	PTWS-2	6-Wrench Preset Torque Wrench Set

I. Individual Wheel Torque Wrenches

- One-way, not bi-directional
- +/- 4% accuracy
- Cushioned ratchet heads
- Made in the USA
- Color coded presets

100
ALE IN
0000000
The state of the s
//////////////////////////////////////

168-13000 4 Piece Wheel Torque Wrench Set

Ascot No.	Mfg. No.	Description
168-12065	65TP-3R	65 Ft./Lb. Preset Torque Wrench - Yellow
168-12080	80TP-3R	80 Ft./Lb. Preset Torque Wrench - Blue
168-12100	100TP-3R	100 Ft./Lb. Preset Torque Wrench - Grey
168-12120	120TP-3R	120 Ft./Lb. Preset Torque Wrench - White
168-12140	140TP-3R	140 Ft./Lb. Preset Torque Wrench - Aqua
168-12250	2503MFRRH	250 Ft./Lb. Micro-Adjustable Torque Wrench

B

C

D

PORTABLE HYDRAULICS & ACCESSORIES

A. 3/8" Hydraulic Hoses

- 10,000 PSI Working Pressure, 20,000 PSI Burst Pressure
- Includes half coupler and plastic dust cover
- High flow valve for fast inflation

Ascot No.	Mfg. No.	Description
318-04120	9010-10	10' Hydraulic Hose Assembly
318-04960	9010-08	8' Hydraulic Hose Assembly

B. Hydraulic Couplers

High-flow hydraulic coupler, 10,000 PSI working pressure

Ascot No.	Mfg. No.	Description
135-10605	PVV-38-M	3/8" Male Hose Half Coupler - For Hydraulic Rams
135-10606	PVV-38-F	3/8" Female Ram Half Coupler - For Hydraulic Rams

C. 55-Ton Aluminum Ram

- 6" stroke
- Lightweight aluminum for ease of handling
- Includes "Shut-Off-Valve" which allows the pump to be removed while the ram is extended
- Aluminum base plate for a larger footprint and added stability
- Height (collapsed) 12.25" (31cm)
- Extended height—18.25" (46 cm)
- Saddle diameter—3" (7.5 cm)
- Weight—29 lbs.

Ascot No.	Mfg. No.	Description
318-13120	N/A	55-Ton Aluminum Ram

D. Hydraulic Coupler Dust Cap

- Plastic dust cap used with hydraulic couplers
- Equipped with a pre-slit ring to allow coupler to slide easily over the coupler
- Includes male and female caps
- Made from durable plastic

ı	Ascot No.	Mfg. No.	Description
	319-09866	CD411	Coupler Dust Cap - Includes Male and Female Cap










C

D

319-72521

Driver

1/4# Socket



A. Slotted Screwdriver

- Tip Width—1/4"
- Blade Length—6"
- Handle Length—4"
- Overall Length—10"
- Made in the USA
- Bulk Packaged

Ascot No.	Mfg. No.	Description
319-09125	029A66S	Slotted Screwdriver

B. #2 Phillips Screwdriver

- Cushion Grip for more comfort
- Blade Length—4"
- Handle Length—4.5"
- Overall Length—8.5"
- Made in the USA
- Bulk Packaged

Ascot No.	Mfg. No.	Description
319-09144	R44PGB	Slotted Screwdriver

C. 8-Piece Professional Screwdriver Set

- Includes 5 flat tip drivers and 3 Phillips tip driver Slotted: 3/8" x 8", 5/16" x 6", 1/4" x 4", 3/16" x 3", 1/4" x 1-1/2" Phillips: #2 Phillips x 4", #1 Phillips x 3", #2 Phillips x 1-1/2"
- Fluorescent yellow handles
- Hardened chrome vanadium shafts
- Vapor blasted magnetic tips
- Packaged in molded plastic tray for storage
- Hex bolsters for extra turning power
- Equivalent to Sunex 9800

	Ascot No.	Mfg. No.	Description
I	319-19800	19800	8-Pc. Professional Screwdriver Set

D. 1/4" Socket Driver

- Made in the USA
- 6" Overall Length
- 2-1/2" Shank Length
- Screwdriver Handle
- Handle is made from a durable plastic-like material
- Shank is made from chrome vanadium
- Ideal for use with the TPMS 11mm x 12mm flip socket

Ascot No.	Mfg. No.	Description
319-72521	7252100	1/4" Socket Driver - Screwdriver Handle

E. Spare Tire Tool Set

- Allows anyone to quickly remove difficult to reach spare tires.
- No more digging through the customer's vehicle to locate the spare tire removal kit.
- Color-coded wall bracket allows user to quickly identify the correct removal tool.
- Applications include many trucks & SUV's where the spare tire is located under the vehicle.

Ascot No.	Mfg. No.	Description
319-96090	96090A	Spare Tire Tool Set

F. Individual Spare Tire Tools

Ascot No.	Mfg. No.	Description
319-96091	96091	Spare Tire Tool - Flat Head - Red: For use on late model S10 trucks, Explorers, Blazers, Jimmys, F150s, Expeditions, older Dakota 2 wheel drives and McGuard lock systems
319-96092	96092	Spare Tire Tool - Pin Head - Blue: For use on import trucks.
319-96093	96093	Spare Tire Tool - Hex Head - Yellow: For use on Dodge full size and stake bodies, '98-'01 dodge full-size 4-wheel drive.
319-96094	96094	Spare Tire Tool - 12mm Square Head - Green: For use on all late model GMs, remaining '98-'03 Dodge trucks.
319-96095	96095	Spare Tire Tool - Std. Square Head - Orange: For use on older Ford Trucks.
319-96096	96096	Spare Tire Tool - Slotted Square Head - Black: For use on Dodge Durango, inside the hatch.
319-96097	96097	Wall Mount Bracket for Spare Tire Tool Set: Color-coded to allow user to quickly identify the correct removal tool.
319-96098	96098	Spare Tire Tool - 3/8" Square Head - Purple: For use on new Ford models.

G. Tire Tool Pouch

- Holds tools routinely used by tire service technicians: gauges, chucks, chalk, etc.
- Velcro clasp to fit most belts
- Saves time by keeping tools organized
- Saves money by providing a convenient place to store tools when not in use
- Constructed to withstand everyday use

Ascot No.	Mfg. No.	Description
736-10003	AS-BS	Ascot Tire Tool Pouch

H. Personal Safety Equipment

Ascot No.	Mfg. No.	Description
396-02003 GL-2003		Men's Large Latex Gloves - 100 per Box
396-40314 924G		Hot Mill Glove - Gauntlet Cuff - 12 Pairs per Pkg.
396-55220	7533	Leather Palm Glove - 12 Pairs per Pkg.





WHEEL & RIM DISMOUNTING TOOLS & ACCESSORIES



A. 1/2" Drive 9-Piece Wheel Lock Removal Kit

 Includes: GM Hubcap Lock Remover, GM Sprocket Hubcap Remover, Ford and Chrysler Hubcap Lock Remover, Large Universal Locking Lug Nut Remover, Large Wheel Cover Lock Remover, Fits Stripped 18mm Lug Nuts, Oversize Wheel Lock Remover, GM "M" and "F" Body Wheel Lock Remover, Lug Nut Remover Punch

Ascot No.	Mfg. No.	Description
401-02840	2840	9-Piece Wheel Lock Remover Kit
401-28401	28401	Individual Wheel Lock Remover for Ford and Chrysler Hubcap Locks
401-28402	28402	Individual Wheel Lock Remover for Ford Wheel Locks and 18mm GM Lug Nuts
401-28403	28403	Individual Wheel Lock Remover for Corvette, GM, N & F Body Wheel Locks
401-28404	28404	Individual Wheel Lock Remover for Oversize McGard Wheel Locks
401-28405	28405	Individual Wheel Lock Remover for McGard Wheel Locks & GM Hubcap Locks
401-28406	28406	Individual Wheel Lock Remover Extractor Punch
401-28407	28407	Individual Wheel Lock Remover for Chrysler Hubcap Locks
401-28408	28408	Individual Wheel Lock Remover for GM Hubcap Locks
401-28409	28409	Individual Wheel Lock Remover for GM Spline Hubcap Locks



B. 1/2" Drive 13-Piece Wheel Lock Removal Kit

 For Ford, Chrysler & GM Vehicles as well as standard and oversized OEM and aftermarket wheel locks for other domestic and imported cars and light trucks.

KIT CONTAINS:

- Ford, Chrysler & Large GM Lock Remover, GM Spline Hublock Adapter
- Standard GM Hubcap Locks, Stripped 18mm/GM Wheel Cover Adapter
- Corvette-GM N& F Body Adapter, Standard Ford & GM/Large Wheel Adapter
- Oversized McGuard Wheel Lock Adapter, Punch
- Late Model Chrysler Lock Adapter, 1/2" Dr. 18mm Nut/Corvette GM Lock Remover
- 3/4", 19mm, OS Wheel Lock Remover, 7/8" OS Wheel Lock Remover
- 1/2" x 3" Impact Extension

Ascot No.	Mfg. No.	Description
401-02841	12840-13	1/2" Drive 13-Piece Wheel Lock Removal Kit

D

C. Wheel Check Loose Wheel Nut Indicators

- Used to identify a loose wheel nut with a simple visual inspection
- When placed in a uniform position, the wheel check will appear out of sequence when nut is loose
- Also used to detect excessive heat in the event of a binding brake or seized bearing
- 100 per bag

The use of wheel checks does not guarantee wheel-offs will not occur.

Ascot No.	Mfg. No.	Description
402-10001	WLCH-G	Wheel Check Loose Wheel Nut Indicator - 1"
402-10015	WLCH-AA	Wheel Check Loose Wheel Nut Indicator - 1-1/2"
402-10033	WLCH-B	Wheel Check Loose Wheel Nut Indicator - 33mm
402-10078	WLCH-C	Wheel Check Loose Wheel Nut Indicator - 7/8"

D. DiscMate Wheel Protectors

- Used to protect the wheel's mounting surface from cosmetic damage during use
- Placed between the wheel and it's mounting surface on the vehicle and may also be used between 2 dualled wheels for added protection
- Wheel nuts should always be tightened to the correct torque following the wheel manufacturer's specifications

Ascot No.	Mfg. No.	Description
402-11000	011000	10-Hole 285.75mm, Hub Pilot, 22mm Studs
402-12000	012000	8-Hole 275mm, Hub Pilot, 20mm Studs
402-14000	014000	8-Hole 275mm, Hub Pilot, 22mm Studs
402-15000	015000	10-Hole 11-1/4" Stud-Pilot, 7/8" Studs
402-16000	016000	10-Hole 11-1/4" Stud-Pilot, 3/4" Studs
402-17000	017000	10-Hole 11-1/4" Stud-Pilot, 1-1/8" Studs
402-18000	018000	10-Hole 335mm, 32mm Cap Nuts, 22mm Studs

E. Hubcap Puller/Replacer

- Heavy duty construction.
- Large rubber hammer designed to prevent damage.
- Removes hub and dust caps easily.

Ascot No.	Mfg. No.	Description
402-31568	75031	Hubcap Puller/Replacer

F. Drop Center Tool

- Assists in mounting high performance tires by holding the bead in the drop center
- Will not scratch aluminum rims
- Equivalent to COATS 435685

Ascot No.	Mfg. No.	Description
402-72100	72100	Drop Center Tool - Tire Mounting Aid









WHEEL & RIM DISMOUNTING TOOLS & ACCESSORIES (CTD.)





- Eliminates damage to mag, chrome & alloy wheels
- Fits all center-post tire changers
- Inserts get 500-700 mounts/demounts if used correctly
- Eliminates "booties" that slip off easily
- Inserts can be changed in seconds
- Not for use on steel wheels

	Ascot No.	Mfg. No.	Description
I	444-70201	72010	Mag Tool Replacement Insert Kit
I	444-70202	72020	Mag Tool Replacement Polymer Nose - Only
I	444-70204	72040	Mag Tool Replacement Polymer Hook - Only

H. Handle Protector

- Made of a durable synthetic rubber
- Fits multiple jack manufacturers' handles and popular tire tools
- Unique design ensures a tight fit on jack/tool handle without slippage
- Protects vehicles from scratches or dents caused by falling jack handles and unstable tools in the shop
- Patent Pending design absorbs the dent/scratch-causing force as the handle contacts an adjacent vehicle

Ascot No.	Mfg. No.	Description
448-01101	GHP-01	Black Handle Protector

I. Yellow Rubber Coated Bead Keeper

- Keeps truck tire bead from slipping during mounting of top bead.
- Rubber coated steel construction.
- Will not scratch aluminum wheels.
- Great for hard to mount tires, a must for all super singles.
- Equivalent to Gaither 12894C & ESCO 70140.

Ascot No.	Mfg. No.	Description
448-12894	12894C	Yellow Rubber Coated Bead Keeper

J. Blue Wide Mouth Rubber Coated Bead Keeper

- Wider mouth works on newer, wider Alcoa wheels.
- Keeps truck tire bead from slipping during mounting of top bead.
- Rubber coated steel construction.
- Will not scratch aluminum wheels.
- Great for hard to mount tires, a must for all super singles.
- Equivalent to Gaither 12894-CW

Ascot No.	Mfg. No.	Description
448-32894	12894-CW	Wide Mouth Blue Rubber Coated Bead Keeper



448-32894 Wide Mouth Blue Rubber Coated Bead Keeper

B

C

A. OTR Giant Tire Bead Breaker

- Most popular tool for breaking beads on earthmover tires, sizes 25"-51"
- Works only on 5 piece wheels with bead loosening pockets
- 13.8 tons of hydraulic force
- Will break the toughest beads



Ascot No.	Mfg. No.	Description
422-11000	11000	OTR Giant Tire Bead Breaker

B. "Combi" Tire Bead Breaker


- Most popular tool for breaking beads on all agricultural wheels
- Used on construction wheels up to 25"
- Works on single, 2, and 3 piece wheels
- Breaks beads in seconds using 10,000 lbs. of force
- No screws, bolts or attachments
- Will not work on five-piece earthmover giant wheel/rim



C. Bead Bazooka with Auto Release System

- Automatic Rapid Air Release System makes it the most powerful bead-seating device in the market
- Smaller tank allows for easier handling in shop and service truck
- Light weight (14 lbs.) reduces stress on technician
- Push-button trigger allows technician to keep both hands on the tank for more control, making it safer than manual-release tanks
- "Slotted" Double Barrel directs the air for best overall lift

Ascot No.	Mfg. No.	Description
473-00006	BB6L	Bead Bazooka with Auto Release System



D



TIRE CHANGER ACCESSORIES

A. Nylon Mount/Demount Head, Coats & Hunter Styles

Ascot No.	Mfg. No.	Description
444-01220	VT-1220	Nylon Mount/Demount Head - Coats Style
444-01221	VT-1221	Nylon Mount/Demount Head - Hunter Style

NEW ITEM!

B. Nylon Mount/Demount Head for Coats, Corghi & Hunter Tire Changers

Application chart below:

OEM	Part Number	Tire Changer
All Tool G3008403		All models
Coats 83008403		RC1, 5, 10, 15, 20 Early 5060, 9010, 9024, APX90
Corghi 450310		All rim clamp (optional accessory)
Giuliano	3008403	Shaft must be turned 180° for this head to work
Hofmann	8314813	All earlier models except 1550, 1620, 1625
Hunter	RP11-8314813	TCX Series (RP11-5-400-100 Adapter required) TCX500 Requires Upgrade Shaft & Adapter Kit
Sice	8314813	M39, S40, S41, S42, S43, S45, S408MAXI, S435, S436, S436T0P

Ascot No.	Mfg. No.	Description
444-01222	TC450310A	Nylon Mount/Demount Head for Coats, Corghi & Hunter Tire Changers

C. Rim Clamp Bead Lifting Tool

- Designed for ease of lifting the bead during the tire changing operation
- 20" overall length
- Made from a durable chromevanadium material
- Equivalent to COATS 181354

Ascot No.	Mfg. No.	Description
444-81354	TC181354	Rim Clamp Bead Lifting Tool

D. Straight Lube Bucket for Rim Clamp Tire Changers

- Designed for holding tire lubricants on Rim Clamp tire changers
- Compatible with COATS RC15, RC20, 5060 & 5070 tire changers
- Made from a durable plastic material
- Equivalent to COATS 106259

Ascot No.	Mfg. No.	Description
844-16259	LB106259	Straight Lube Bucket

C

25



TIRE CHANGER ACCESSORIES (CTD.)

E. Angled Neck Lube Bucket for **Center-Post Tire Changers**

- Designed for holding tire lubricants on Center-Post tire changers
- Compatible with COATS 4040, 4040SA & 4050
- Made from a durable plastic material
- Equivalent to COATS 106572

ASCOT SUPPLY WAREHOUSE CATALOG | 2011

Ascot No.	Mfg. No.	Description
844-16572	LB106572	Angled Neck Lube Bucket



TIRE SWABS AND BRUSHES

A. Plastic Handled Brass Sidewall Brush

- Densely packed brass bristles
- Great for cleaning white sidewall tires
- Bristle length: 3/4"
- Overall length: 8-1/4"
- Plastic handle fits comfortably in the hand

	•
NEW!	7
"EM!	1
444	

Ascot No.	Mfg. No.	Description
395-13124	VT-932	Plastic Handled Brass Sidewall Brush

B. Wooden Handled Wire Brush with Metal Scraper

- 19 rows of steel bristles
- Slightly curved wooden handle
- Metal scraper included
- Bristle length: 1"
- Overall length: 14-1/4"

Ascot No.	Mfg. No.	Description
535-00150	VT-931	Wooden Handled Wire Brush with Metal Scraper

C. Miscellaneous Tire Swabs and Brushes

Ascot No.	Mfg. No.	Description	
437-00001	TS-1	Tire Swab - 11" OAL X 2" Diameter	
437-00002	TS-2	Tire Swab - 15" OAL X 2" Diameter	
437-00003	TS-3	Tire Swab - 18" OAL X 3" Diameter	
437-40006	40006	Tire Lubricating Brush	
437-13014	313014	Hunter-Style Tire Lubricating Brush	



MISCELLANEOUS TIRE SERVICING TOOLS





- 110 volt and 220 volt electric, and propane versions available
- 1" letters (A-Z) & numbers (0-9) sold separately
- Hardwood handle
- Comparable to Myers 32A brander

Electric Tire Brander



Letters and Numbers sold separately

Ascot No.	Mfg. No.	Description
452-00100	BI-CC-1BZ-0	Tire Brander 1" Insert - 0
452-00101	BI-CC-1BZ-1	Tire Brander 1" Insert - 1
452-00102	BI-CC-1BZ-2	Tire Brander 1" Insert - 2
452-00103	BI-CC-1BZ-3	Tire Brander 1" Insert - 3
452-00104	BI-CC-1BZ-4	Tire Brander 1" Insert - 4
452-00105	BI-CC-1BZ-5	Tire Brander 1" Insert - 5
452-00106	BI-CC-1BZ-6	Tire Brander 1" Insert - 6
452-00107	BI-CC-1BZ-7	Tire Brander 1" Insert - 7
452-00108	BI-CC-1BZ-8	Tire Brander 1" Insert - 8
452-00109	BI-CC-1BZ-9	Tire Brander 1" Insert - 9
452-00201	BI-CC-1BZ-A	Tire Brander 1" Insert - A
452-00202	BI-CC-1BZ-B	Tire Brander 1" Insert - B
452-00203	BI-CC-1BZ-C	Tire Brander 1" Insert - C
452-00204	BI-CC-1BZ-D	Tire Brander 1" Insert - D
452-00205	BI-CC-1BZ-E	Tire Brander 1" Insert - E
452-00206	BI-CC-1BZ-F	Tire Brander 1" Insert - F
452-00207	BI-CC-1BZ-G	Tire Brander 1" Insert - G
452-00208	BI-CC-1BZ-H	Tire Brander 1" Insert - H
452-00209	BI-CC-1BZ-I	Tire Brander 1" Insert - I
452-00210	BI-CC-1BZ-J	Tire Brander 1" Insert - J

Ascot No.	Mfg. No.	Description
452-00211	BI-CC-1BZ-K	Tire Brander 1" Insert - K
452-00212	BI-CC-1BZ-L	Tire Brander 1" Insert - L
452-00213	BI-CC-1BZ-M	Tire Brander 1" Insert - M
452-00214	BI-CC-1BZ-N	Tire Brander 1" Insert - N
452-00215	BI-CC-1BZ-0	Tire Brander 1" Insert - 0
452-00216	BI-CC-1BZ-P	Tire Brander 1" Insert - P
452-00217	BI-CC-1BZ-Q	Tire Brander 1" Insert - Q
452-00218	BI-CC-1BZ-R	Tire Brander 1" Insert - R
452-00219	BI-CC-1BZ-S	Tire Brander 1" Insert - S
452-00220	BI-CC-1BZ-T	Tire Brander 1" Insert - T
452-00221	BI-CC-1BZ-U	Tire Brander 1" Insert - U
452-00222	BI-CC-1BZ-V	Tire Brander 1" Insert - V
452-00223	BI-CC-1BZ-W	Tire Brander 1" Insert - W
452-00224	BI-CC-1BZ-X	Tire Brander 1" Insert - X
452-00225	BI-CC-1BZ-Y	Tire Brander 1" Insert - Y
452-00226	BI-CC-1BZ-Z	Tire Brander 1" Insert - Z
452-00300	END LOCK	End Lock for Tire Brander Slot
452-01200	BI-NTC-1000-TB-120	Electric Tire Brander 120 volts
452-02400	BI-NTC-1000-TB-240	Electric Tire Brander 240 volts
452-03000	BI-Propane	Propane Tire Brander

452-01201 Electric Tire Brander with Auxiliary Handle

B. Electric Tire Brander with Auxiliary Handle

- 110 volt electric version
- Compatible with 1" letters and numbers (sold separately)
- Auxiliary handle included to give more control and to reduce fatigue
- Hardwood handles

**Auxiliary Handle requires some assembly

Ascot No.	Mfg. No.	Description
452-01201 BI-NTC-1000-TB-120WH		Electric Tire Brander w/ Auxiliary Handle

NG .

C. Digital Tread Depth Gauge

- Made from strong carbon fiber composite
- Zero setting in any position
- Metric, decimal inch and fraction inch toggle
- Large LCD display

Ascot No.	Mfg. No.	Description
454-00209	NS209S	Digital Tread Depth Gauge

454-00209 Digital Tread Depth Gauge

(

D. Tire Tread Depth Gauges & Wheel Bolt Pattern Gauges

Ascot No.	Mfg. No.	Description	
454-00599	595	Tire Tread Depth Gauge	
454-01599	599-C	3-Color Tread Depth Gauge	
454-03000	WG-3000	Wheel Bolt Pattern Gauge - New Style	

E. Truck Tire Tread Depth Gauge

- Calibrated in millimeters and 1/32nds
- Measures shoulder wear as well as tread depth
- Durable metal construction
- Protective pouch included

Ascot No.	Mfg. No.	Description	
454-01420	HT-1420	Truck Tire Tread Depth Gauge	

F. Tire Regrooving Tools & Accessories

Ascot No.	Mfg. No.	Description	
455-00003	RC400	Rubber Cut 400 Rema Regroover	
455-00129	N/A	Set Screw for PS-15 Regroover	
455-00401	W-1	Regroover Blades 20-Pack	
455-00402	W-2	Regroover Blades 20-Pack	
455-00403	W-3	Regroover Blades 20-Pack	
455-00404	W-4	Regroover Blades 20-Pack	
455-00405	W-5	Regroover Blades 20-Pack	
455-00406	W-6	Regroover Blades 10-Pack	
455-00444	No. 4 Head	Replacement Head for No. 125 Groover	
455-04444	No. 4 Bld.	Replacement Blades for 125 Grover	
455-12500	125	Heavy Duty Pistol Grip Tire Groover	
455-15017	N/A	Transformer for PS-15 Regroover	
455-15019	N/A	Rotative Switch for PS-15 Regroover	







MISCELLANEOUS TIRE SERVICING TOOLS (CTD.)

G. Ascot & Markal B Paintsticks

- Real lead-free paint in stick form
- Combines long-lasting durability of paint with an ease-of-use crayon
- Temperature range—-50 to 150 degrees F
- For use on metal, wood, plastic, concrete, rubber, glass, cardboard & paper
- Marks on smooth, rough, rusty or dirty surfaces and also marks through oil & water

Ascot No.	Mfg. No.	Description	
459-80220	80220	Markal B White Paintstick - 144 per Case	
459-80221	80221	Markal B Yellow Paintstick - 144 per Case	
459-80257	80257	Ascot B White Paintstick - 144 per Case	
459-80258	80258	Ascot B Yellow Paintstick - 144 per Case	
459-80271	80271	Ascot B Orange Paintstick - 144 per Case	

EZ BREAK ANTI-SEIZE 494-01010 494-08916 EZ Break Anti-Seize EZ Break Anti-- 10 oz. Can with Seize - 14 oz. Brush-In Cap Aerosol Can

H. EZ Break Anti-Seize

- Copper-based anti-seize and lubricating compound
- · Resists rust and corrosion
- Authorized by USDA for use in federally inspected meat and poultry plants
- Working temperature to 1800 degrees F
- Recommended for nuts, bolts, valves, flanges & splines for easy break out after years of service

Ascot No.	Mfg. No.	Description
494-01010	008910	EZ Break Anti-Seize - 10 Oz. Can w/ Brush-In Cap - 24 per Case
494-08916	008916	EZ Break Anti-Seize - 14 Oz. Aerosol Can - 12 per Case



I. 2" Quick Change Surface Conditioning Discs

- Available in fine, medium or coarse
- Imbedded with abrasive grain to eliminate fraying of edges, resist loading and provide a consistent finish
- Ideal for flat or contoured surfaces
- Applications: Light deburring, surface preparation, blending scratches, removing rust, corrosion and oxidation, removing stains from stainless steel, finishing aluminum and stainless steel

Ascot No.	Mfg. No.	Description	
417-39120	3912BLUEF	2" Quick Change Surface Conditioning Discs - Blue-Fine	
417-39121	3912MARNM	2" Quick Change Surface Conditioning Discs - Maroon-Medium	
417-39122	3912BRWNC	2" Quick Change Surface Conditioning Discs - Brown-Coarse	



TIRE PRESSURE MONITORING SYSTEM (TPMS) TRANSMITTERS & ACCESSORIES





Ford Replacement Band Transmitter







A. Tire Pressure Monitoring System (TPMS) Transmitters

• Includes transmitter, grommet, nut, cap and core

N/A

Mfg. No. 1048

461-20315

461-20335

461-28004

20315

20335

28004

9L3Z1189A

04727392AD,

5127-335AB,

5127-335AD, SE57243

04815132AB

Ford 09/10 Snap-In Style Replacement Transmitter Complete

Chrysler Siemens Replacement

Chrysler Prowler Replacement

Unit

Transmitter

Transmitter

O.E. No.

Y	461-01051	1051	4250A225	Siemens Chrysler Replacement Transmitter
W W!	461-11048	1048HP	N/A	High Pressure Ford Banded Sensor
"" "	461-20028	20028	5208-8990AC	Chrysler Replacement Transmitter
	461-20034	20034	MN103081	Mitsubishi Replacement Transmitter
	461-20064	20064	40700-CD001	Nissan Replacement Transmitter
	461-20066	20066	5605-3036AA, 5605-3030AB, 6800-16966AA, SE57770	Chrysler Gen J Replacement Transmitter
	461-20069	20069	40700-CK002	Nissan Replacement Transmitter For Vehicles With Steel Wheels
	461-20076	20076	25758220	GM 2006 Cadillac & Corvette Replacement Transmitter
	461-20081	20081	28103-AG00A	Subaru Replacement Transmitter
	461-20082	20082	96484045	Daewoo Replacement Transmitter
	461-20087	20087	4313054J20	Suzuki Replacement Transmitter
	461-20096	20096	4L2T-1A150-BA	Ford Small Truck Replacement Transmitter
	461-20107	20107	15114379	GM Large Truck Replacement Transmitter
	461-20115	20115	15136883	GM 2004 Large SUV Replacement Transmitter
	461-20116	20116	25774005	GM Small Truck Replacement Transmitter
	461-20117	20117	25773946	GM Cadillac & Corvette Replacement Transmitter
	461-20131	20131	15122618	Hummer Replacement Transmitter
	461-20135	20135	5L1Z-1A150-AA	Ford Large Truck Replacement Transmitter
	461-20153	20153	70503153	GM Snap-In Type Replacement Transmitter - Complete Unit
	461-20156	20156	8651700	Volvo Replacement Transmitter
	461-20158	20158	15268606, 10394110	GM 2006 Replacement Transmitter
	461-20161	20161	40700-CK-001	Nissan Replacement Transmitter For Vehicles With Alloy Wheels

Ascot No.	Ascot No. Mfg. No. O.E. No. Description		Description
461-28006	28006	10438853	97-00 Corvette Replacement Transmitter
461-28078	78 28078 24437708 Saab Replacement Transmitte		Saab Replacement Transmitter
461-28129	28129	4250A030	Mitsubishi Replacement Transmitter
461-28155	28155	56029359AA	Chrysler Replacement Transmitter
461-28167	28167	40700JA01A	Nissan Replacement Transmitter O.E. 40700-JA01A
461-28203	28203	28103AG01A	Subaru Snap-In Replacement Transmitter OE 28103AG01A
461-28204	28204	40700JA01B	Nissan Replacement Transmitter O.E. 40700-JA01B
461-28210	28210	40700JK00B	Nissan/Infiniti Replacement Transmitter
461-28214	28214	0045421518	Mercedes Gen Alpha WALA Replacement Transmitter
461-28291	28291	56029400AB	Chrysler Replacement Transmitter
461-28300	28300	426070C010	Toyota Replacement Transmitter
461-28305	28305	426070C020	Toyota Replacement Transmitter
461-28308	28308	56053036AA	Chrysler Snap-In Replacement Transmitter
461-28310	28310 4260724010 Lexus Replacement Transmitte		Lexus Replacement Transmitter
461-28315	28315	4260724020	Lexus Replacement Transmitter
461-28320	28320	8320 4260724030 Lexus Replacement Transmitter	
461-28325	28325 0426724040 Lexus Replacement Transmitt		Lexus Replacement Transmitter
461-28335	28335	0426724040	Lexus & Toyota Replacement Transmitter
461-28345	28345	4260735010	Lexus & Toyota Replacement Transmitter
461-28355	28355	42607AD020	Toyota Replacement Transmitter
461-28360	28360	4260706011	Toyota Replacement Transmitter
461-28365	28365	4260733011	Lexus, Scion, Toyota Replacement Transmitter
461-28370	28370	4260733021	Lexus & Toyota Replacement Transmitter
461-28380	28380	42607AD010	Toyota Replacement Transmitter
461-28395	28395	8C2Z1A189A	Ford Banded Replacement Transmitter
461-28434	28434	56029319AC	Chrysler Snap-In Replacement Transmitter
461-28461	28461	56029319AC, 68137699AA	Chrysler Snap-In Replacement Transmitter
461-28670	28670	426070C050	Toyota Replacement Transmitter
461-28720	28720	42753SNAA83	Honda Acura Replacement Transmitter
461-28849	28849	529332F000	Hyundai Kia Replacement Transmitter
461-28982	28982	06421-S9V-A01	Honda Replacement Transmitter
461-28983	28983	958104D100	Hyundai Replacement Transmitter

D



TPMS TRANSMITTERS & ACCESSORIES (CTD.)

B. EZ Sensor 315 MHz Programmable TPMS Sensor

- Designed to eliminate multiple sensors required for TPMS work
- Covers most GM, Chrysler, Honda, Nissan, Toyota, Lexus, Scion, Ford, Lincoln, & Mercury vehicles and some Mitsubishi, Subaru & Suzuki vehicles
- Fully programmable
- Compatible with Bartec, Schrader and SPX/OTC programming tools
- Replacement aluminum valve stem available separately - 469-34000

Ascot No.	Mfg. No.	Description
461-33000	33000	EZ Sensor 315 MHz Programmable TPMS Sensor

C. TPMS Valve Inserts

- Original equipment valve insert for the Beru Tire Safety System
- Each Insert comes complete with cap, core, grommet & grommet nut
- Colored bottom to differentiate inserts
- Applications Audi, Bentley, BMW, Ferrari, Land Rover, Maserati, Maybach, Mercedes-Benz, Porsche, Volkswagen
- Requires TX-20EZ torx tool for assembly / disassembly

Ascot No.	Mfg. No.	Description
461-59307	59.0342	Green Valve Insert
461-59337	59.0340	Silver Valve Insert
461-59357	59.0346	Orange Valve Insert
461-59387	59.0344	Black Valve Insert

D. Valve Caps

All valve caps are packaged 100 per box

Ascot No.	Mfg. No.	Description
468-00107	CAP P	Plastic Valve Cap
468-00207	Cap PG	Green Plastic Valve Cap
468-00050	20395	TPMS Plastic Sealing
468-20495	20495	TPMS Aluminum Sealing
468-20595	20595	Black TPMS Plastic Sealing
468-20695	20695	Green TPMS Plastic Sealing
468-59019	59-0019	Green Nitrogen Indicating Aluminum Valve Cap
468-59021	59-0021	Chrome Plated Nitrogen Indicating Brass Valve Cap
468-20495 468-20595 468-20695 468-59019	20495 20595 20695 59-0019	TPMS Aluminum Sealing Black TPMS Plastic Sealing Green TPMS Plastic Sealing Green Nitrogen Indicating Aluminum Valve Cap

E. Miscellaneous

	Ascot No.	Mfg. No.	Description
П	468-00202	RN-02	Rim Hole Reducer
	468-01120	VT-1120L	7-1/4" Wire Puller

F. Nitrogen O-Ring and Sleeves

• Fits 540 and 570 Truck Valves

Nitrogen use in truck tires

Ascot No.	Mfg. No.	Description
468-00307	0113	Green Tire Valve O-Ring
468-00607	NITSLV	Nitrogen Indicating Sleeves - Truck Valves







468-00307 Green Tire Valve O-Ring



G



G. Replacement Grommets

Electroless Nickel-Plated Valve Core

ı	Ascot No.	Mfg. No.	Description
I	468-10015	RG-15	5/8" Hole - for TR570
	468-10046	RG-46	5/8" Hole - for TR509 and TR510

H. Schrader TPMS Valve Core

Ascot No.	Mfg. No.	Description
468-20055	20055	Electroless Nickel Plated Valve Cores

I. Dill Aluminum Replacement TPMS Stem

- Metal Replacement Clamp-In Valve for GM, Ford, Dodge Ram, Subaru & Suzuki
- Made from anodized aluminum
- T-10 screw included
- Packaged 20 per box



Ascot No.	Mfg. No.	Description
469-00925	US-925A	Dill Aluminum Replacement TPMS Stem

J. Dill GM & Ford Replacement TPMS Snap-In Valve

- Snap-In valve replacement for both GM & Ford TPMS applications
- Can be used to replace both the Schrader 20008 & 20018
- Includes a long black sealing cap and T-10 screw
- Requires T-10 torx tool for assembly/disassembly
- Packaged 25 per box
- Equivalent to Dill VS-950

Ascot No.	Mfg. No.	Description
469-00950	VS-950	Dill Rubber Snap-In Replacement Valve for GM & Ford Transmitters

K. Ford Replacement TPMS Snap-In Valve

- Rubber stem & attaching screw for Schrader 20315 Ford snap-in transmitter
- Cap & core included
- Packed 50 per box
- Requires T-10 torx tool for assembly/disassembly
- Applications: Ford: 2009-2010 Escape, 2009-2010 F-150, 2010 Fusion, 2010 Mustang; Lincoln: 2010 MKZ; Mercury: 2009-2010 Mariner, 2010 Milan

Ascot No.	Mfg. No.	Description
469-20018	20018	Replacement Snap-In Valve for Schrader 20315 Ford Trans.

L. Replacement Aluminum Valve Stem



ı	Ascot No.	Mfg. No.	Description	
ı	469-34000	34000	Replacement Aluminum Valve Stem	











М

N

0

469-15105

Ford Complete Banded High Pressure Sensor Package



TPMS TRANSMITTERS & ACCESSORIES (CTD.)

M. TPMS Band Transmitter Accessories

- TPMS Band is adjustable to accommodate 14"- 26" wheels
- Plastic clip included with TPMS Cradle
- For use on vehicles equipped with banded transmitters

Ascot No.	Mfg. No.	Description
469-01426	TPSTRAP	14" - 26" Adjustable Band for Banded TPMS Sensors
469-02723	TPCRADLE	Cradle with Clip for Banded TPMS Sensors

N. Ford Complete Banded Transmitter Package

- Includes 461-01048 transmitter, 469-02723 cradle/clip & 469-01426 band
- Replacement transmitter for Ford OE #6F2Z1A189A
- Equivalent to Dill part no. 5105
- Fits most popular 2006 2008 Ford vehicles

Ascot No.	Mfg. No.	Description
469-05105	5105	Complete Banded Transmitter Package

O. Ford Complete Banded High Pressure Sensor Package

- Includes 461-11048 transmitter w/ cradle and clip & 469-01426 band
- Replacement transmitter for Ford OE # 8C2Z-1A189A
- Equivalent to Dill part no. 5105HP
- Applications: Pre-June Ford F250/350/450 Super Duty Trucks
- Shipped together in a plastic bag

Ascot No.	Mfg. No.	Description
469-15105	5105HP	Ford Complete Banded High Pressure Sensor Package

P. 20153 Transmitter Accessories

Ascot No.	Mfg. No.	Description
469-20008	20008	Replacement Snap-In Valve for Schrader 20153 Transmitter
469-22008	22008	Assembled Chrome Replacement Snap-In Valve for Schrader 20153 Transmitter
469-20140	20140	T-10 Torque Tool for Snap-In Transmitters



469-22008
Assembled Chrome Replacement
Snap-In Valve for Schrader
20153 Transmitter



469-20008 Replacement Snap-In Valve for Schrader 20153 Transmitter

33



Q. Schrader TPMS Accessory Kits

- The OEM requires that the four sealing components be replaced when re-installing a TPMS sensor. The replacement components are supplied in TPMS accessory kits, which are sensor specific.
- Each TPMS accessory kit contains: 1 Nut, 1 Valve Core, 1 Cap, 1 Grommet

Ascot No.	Mfg. No.	Description
469-20002	20002	Accessory Kit For Ford Transmitters - Replaces 469-29601& 469-23501
469-20003	20003	Accessory Kit For Chrysler Transmitters - Replaces 469-21701 & 469-22801
469-20004	20004	Accessory Kit For GM Transmitters - Replaces 469-20701 & 469-21601
469-20005	20005	Accessory Kit For Steel Wheel Nissan Transmitters
469-20006	20006	Accessory Kit For Hummer Transmitters
469-20007	20007	Accessory Kit For Alloy Wheel Nissan Transmitters
469-20008	20008	Replacement Snap-In Valve for Schrader 20153 Transmitter, Box of 50
469-20009	20009	Accessory Kit for Suzuki Replacement Transmitter
469-20010	20010	Accessory Kit for Prowler Replacement Transmitter
469-20011	20011	Accessory Kit for Subaru Replacement Transmitter
469-20012	20012	Accessory Kit for Corvette Replacement Transmitter
469-20013	20013	Accessory Kit for Dodge Nitro Transmitters
469-20014	20014	Accessory Kit for Nissan Transmitters
469-20015	20015	Accessory Kit for GM/TRW Transmitters
469-20016	20016	Accessory Kit for Mercedes Transmitters
469-20017	20017	Accessory Kit for Volkswagen/Siemens Transmitters
469-20018	20018	Replacement Snap-In Valve Ford 20315 Transmitter, Box of 50
469-20019	20019	Accessory Kit for Honda/Acura Transmitters
469-20020	20020	TPMS Service Pack - Stem Only - Chrysler, Dodge, Jeep
469-20030	20030	Accessory Kit for Chrysler/Siemens Transmitters
469-20031	20031	Accessory Kit for Pacific Transmitters
469-20032	20032	Accessory Kit for Toyota/Pacific Transmitters
469-20035	20035	Accessory Kit for TRW Long Valve Transmitters
469-20036	20036	Accessory Kit for TRW Short Valve Transmitters
469-22008	22008	Assembled Chrome Replacement Snap-In Valve for Schrader 20153 Transmitter

R. Schrader TPMS Accessory Kit Assortments

• Contain all the parts you will need when servicing tires and wheels that are equipped with Schrader Original Equipment pressure monitoring transmitter valves. All components are individually packaged for easy identification by vehicle application and are stored in a handy plastic box.

ĺ	Ascot No.	Mfg. No.	Description
	469-20097	20097	Small Assortment Kit - 30 Bags (5 ea) Accessory Kits for Each Transmitter Size, 25 Plastic Valve Caps and Core Tool
	469-20597	20597	TPMS Master Accessory Kit Assortment - Includes 8 Each of Accessory Kits 20002-20007, 20030-20031, 4 Each of Accessory Kits 20035 & 20036, 100 Cores and 25 Plastic Caps







S







717-00400 Clear Plastic Brochure Holder

TPMS TRANSMITTERS & ACCESSORIES (CTD.)

S. B

S. Bartec EZ Sensor Starter Kits

Designed to provide all of the necessary startup information for EZ Sensor users

Ascot No.	Mfg. No.	Description
469-40010	WRTEZS-STK10	Bartec EZ Sensor Starter Kit The starter kit comes complete with the following tools: Training DVD Application Chart User Guide Quick Start Guide Programming Fixture
469-40015	WRTEZS-STK15	Bartec EZ Sensor Starter Kit - 2 EZ Sensors and 2 Aluminum Stems The starter kit comes complete with the following tools: Training DVD Application Chart User Guide Quick Start Guide Programming Fixture EZ Sensor Activation Certificate 2 EZ Sensors and 2 Aluminum Replacement Stems Included
469-40020	WRTEZS-STK20	Bartec EZ Sensor Starter Kit - 4 EZ Sensors and 4 Aluminum Stems The starter kit comes complete with the following tools: Training DVD Application Chart User Guide Quick Start Guide Programming Fixture EZ Sensor Activation Certificate 4 EZ Sensors and 4 Aluminum Replacement Stems Included

NEW ITEM!

T. Bartec Programming Fixture

- Designed for use with the Bartec Tech 400 TPMS reprogramming tool in conjunction with the EZ Sensor
- The use of the fixture allows for the EZ Sensor to rest securely in the correct position for relearning
- Is also included in the 469-40010 Bartec EZ Sensor starter kit as standard procedure

Ascot No.	Mfg. No.	Description
469-40035	WRTEZS-STK35	Bartec Programming Fixture

U. TPMS Tri-Fold Consumer Brochure

Ascot No.	Mfg. No.	Description
469-22006	469-22006	Schrader TPMS Consumer Brochure

V. Tri-Fold Brochure Holder

Ascot No.	Mfg. No.	Description
717-00400	W40A	Clear Plastic Brochure Holder

TPMS Countertop

469-02010 2010 TPMS Relearn Chart 35



W. TPMS Countertop Displays

- Three-dimensional countertop display to help educate consumers on TPMS
- Dummy sensor included as a visual reference
- Display explains in common terms the individual components that are involved in the installation of sensors
- and why these components should be replaced each time the tire is disassembled

ASCOT SUPPLY WAREHOUSE CATALOG | 2011

- Provides a photograph of the universal "horseshoe" symbol that indicates the existence of TPMS
- Some assembly required
- Packaged 1 display per box

A	scot No.	Mfg. No.	Description	
40	69-61589	61589	TPMS Countertop Display w/ Dummy Transmitter	
40	69-61599	61599	Spanish TPMS Countertop Display w/ Dummy Transmitter	

X. 2010 TIA TPMS Relearn Chart

Information on vehicles equipped with TPMS through Model Year 2009

 Laminated Flip Chart designed to provide accurate information on all aspects of TPMS applications, including relearn procedures

Chart is divided into Domestic & Import vehicle sections

. Chart provides the following information:

- The type of TPMS, whether direct or indirect.
- Three columns of data that indicate when a system relearn is necessary, i.e. after a change in air pressure, tire rotation, or tire/sensor replacement.
- A relearn summary: this includes a reference number that corresponds to the vehicle's procedure for initiating sensor relearn mode. The vehicle relearns are located in the back of the corresponding section, either domestic or import.
- The sensor manufacturer.
- OEM sensor part number, Schrader replacement sensor part and service pack numbers, Dill replacement sensor part and kit and band numbers, Continental replacement sensor part and kit and band numbers, and NAPA replacement sensor part and service pack numbers.
- The torque specifications for the sensor nut, torx bolt, worm gear and lug nuts are listed.



Ascot No. Description 2010 TIA TPMS Relearn Chart

IMPORT RELEARNS

Snapshots of what is included in the 2010 TIA TPMS Relearn Chart

www.ascotsupply.com



VALVE HARDWARE TOOLS & ACCESSORIES

A. Valve Hardware Tools

Ascot No.	Mfg. No.	Description
469-00001	CT-1	PocketSize Valve Core Remover
469-00002	CT-2	Black Heat Treated Heavy Duty Tire Valve Repair Tool 4-In-1 standard valve tool repairs cap threads, repairs core threads. Easy-out feature for removing damaged cores & removing standard caps.
469-00003	CT-3	Heavy Duty 1-3/4" Steel Shaft Valve Core Remover
469-00004	CT-4	Economy 4-Way Valve Core Tool
469-00005	CT-5	Large Bore/Standard Bore Valve Core Tool
469-00011	VT-01	Cable Valve Fishing Tool ■ Valve core wrench and deflating pin with flexible cable for fishing valve through rim hole. 24".
469-00018	VSW-18	9/16" Single Hex Valve Stem Ratchet Wrench ■ For TR570 Series Valves
469-00020	VSW-20	5/8" Double Hex Valve Stem Ratchet Wrench ■ For TR540 Series Valves
469-00021	VT-21	Tire Deflator / Valve Core Remover Screws on TPMS valve stems to deflate the tire without removing the valve core
469-00033	VT-03N	Scratch Resistant Valve Installation Tool Installs and removes tubeless valves without marring or scratching chrome and alloy wheels
469-00040		Valve Stem Puller w/ Rubber Boot Rubber over mold to protect wheel & rim from possible damage while installing or removing valve stem. Offset head designed to work with most aftermarket wheels & rims. Locking head assembly enables easy installation and removal of valve stems. Equivalent to ESCO 50114.
469-00044	TPMS-4VC	Valve Core Torque Tool Preset torque guarantees correct setting every time on all cores! Calibrated to 4 in./lbs. of torque. Meets the Tire & Rim Association (TRA) specifications for installing valve cores on TPMS applications. Can be used to install and remove cores in standard valve stems.
469-00081	TVT81	Heavy Duty 4-Way Valve Core Tool Rethreads the external part of the valve stem. Rethreads the inside of the valve stem. Removes the valve core. Extracts damaged valve cores. Manufactured from case-hardened mild steel. Zinc-plated finish.
469-00580	X-10NS58B	Brass Tire Valve Nut Splitter Removes brass tire valves from truck rims.
469-00607	607	Valve Core Tool - Screwdriver Type ■ Has a plastic screwdriver handle for better grip and leverage.
469-00609	609	Chain Valve Fishing Tool Guides valve smoothly through rim hole while mounting tire & tube.
469-00612	612	Standard Bore Long Valve Core Tool 8" overall length, blade length of 5-1/8". Oversized handle. Made in USA. Packaged 200 per case. Equivalent to Haltec TL-612

VALVE HARDWARE TOOLS & ACCESSORIES (CTD.)

Ascot No.	Mfg. No.	Description
469-00992	992	Tubeless Valve Insertion/Removal Tool ■ For all sizes of snap-in passenger car tire valves.
469-01113	VT-1113B	Standard Valve Cap/Core Remover
469-01115	VT-1115S	Hex Handled Steel Valve Core Tool For inserting and removing valve cores. Long hex body for easy access.
469-01124	VT-1124	Tubeless Tire Valve Service Tool ■ Pull-A-Stem tool pulls old valves or inserts new valves. ■ Fits all sizes or lengths.
469-03333	VT-03P	Green Plastic Economy Valve Puller w/ Metal Rod Insert Metal rod inserted through the puller for increased strength. Made from a durable plastic material. Will not scratch or mar aluminum wheels. Locking head assembly enables easy installation and removal of valve stems. Equivalent to ESCO 50117, AME 51170 & Dill 5407P.
469-08910	8910	TPMS Valve Fishing Tool ■ Secures TPMS sensor to wheel during demount. ■ One handle end can be used as a deflator, the other as a core remover. ■ 3" Overall length.
469-11115	VT-1115I	Recessed Valve Core Tool Core tool is recessed into the handle Design eliminates the possibility of the tool poking through a shirt pocket Easily fits into a shirt pocket Includes clip
469-15407	43001	Angle Head Valve Insertion/Removal Tool
469-20144	20144	Grommet Removal Tool Designed to safely remove the grommet from aluminum TPMS stems Receiving hole used to install a new grommet to the stem Made of a long-lasting, durable plastic material
469-22011	VB	Valve Blaster Truck Valve Stem Removal Tool Removes valves quickly. Slide hammer with an internal spring absorbs the shock of impact. Easy to use. Designed to sheer the bottom flange off the valve with one or two blows. OAL - 63".
469-22012	RE	Replaceable End for Valve Blaster Truck Stem Removal Tool
469-23430	23.43	Tube Deflator/Aspirator Removes air completely, quickly after the valve core is moved. Fits on every type of standard bore valve.
469-52000	S-2	Valve Capper Inner Dual Valve Core/Cap Tool
469-52001	S-2-DIS	Valve Capper Counter Display with 25 Tools





AIR PRESSURE GAUGES & INFLATOR GAUGES

A. Gauge Counter Displays

- Low pressure for general use
- High pressure for SUV's, trucks and other high pressure applications
- Gauges calibrated in 2 lb. increments
- Aluminum barrel
- Made in the USA

Ascot No.	Mfg. No.	Description
476-00211	211-DIS	Counter Display of 10 Low Pressure Gauges
476-00941	941-DIS	Counter Display of 10 High Pressure Gauges

B. External Adjustable Calibration Gauge

- External Adjustment Screw makes calibration quick & easy.
- Plated finish provides corrosion protection and great looks.
- Straight chuck for checking pressure of inside wheels.
- 30° Reverse angle chuck for easy access to outside wheels.
- 4-sided metal indicator bar is durable and easy to read.
- Hang-up ring provides a convenient method of storage.
- Flat-head screwdriver required for calibration



Ascot No.	Mfg. No.	Description
476-01046	1046-ADJ	Screwdriver Adjustable Calibration Gauge

C. Digital Truck Tire Gauge

- Operating range—0-180 PSI
- Resolution—0.5 PSI
- Accuracy: +/- 1% + 0.5 PSI at 100 PSI
- Calibration in BAR, KG/ CM 2, KPA and PSI
- Auto Power Off Simple Operation
- Built-in Backlight with Clear, Large LCD Display
- Replaceable LED Battery
- Power Source—Lithium & LR 44 Alkaline

Ascot No.	Mfg. No.	Description
476-03238	N/A	Digital Truck Tire Gauge

D. Field Service Gauge

- Field adjustable truck service gauge
- Adjustable calibration
- Chrome finish

Ascot No.	Mfg. No.	Description
476-07285	7285-R	Dill Adjustable Calibration Gauge

39



E. Automotive Tire Gauges

Pencil, chrome tire gauges with nylon indicator bars

Ascot No.	Mfg. No.	Description
476-10100	945	Extra - Low Pressure Tire Gauge (1-20 lbs.) Chrome Plated
476-10105	910	10-50 psi Passenger Tire Gauge - Chrome Plated
476-10110	955	Low Pressure Tire Gauge (10-50 lbs.) Chrome Plated - Calibrated in Lb./kPa
476-10115	920	High Pressure Pencil Gauge (20-120 lbs.)
476-10120	965	High Pressure Pencil Gauge (20-120 lbs.) Chrome Plated - Calibrated in Lb./kPa
476-10125	120	Air/Liquid Tire Gauge (5-45 lbs.) Chrome Plated - Nylon Bar
476-10145	975	Mid-Range Pencil Gauge (10-75 lbs.) Chrome Plated - Calibrated in Lb./kPa

ASCOT SUPPLY WAREHOUSE CATALOG | 2011

F. Pocket Truck Gauges

Ascot No.	Mfg. No.	Description
476-10130	1314	Dual Foot - High Pressure Pencil Gauge (20-120 lbs.)
476-10150	1317	Dual Straight Pencil Gauge (20-120 lbs.) Chrome Plated
476-10160	1317T	Dual Chuck Service Gauge Black Epoxy Straight-On/ Angled - 4-Sided Nylon Bar

G. Master Test Gauge

- Used to check accuracy of gauges
- Calibrated 10-160 PSI

ı	Ascot No.	Mfg. No.	Description
i	476-10140	1075	Master Test Gauge

H. Truck Service Gauges

- Wide variety of service gauges to accommodate the numerous tire and wheel configurations encountered by tire service personnel
- Available in chrome plated or protective black epoxy finish as indicated
- Calibrated from 10-150 psi in 2 pound increments
- Nylon or metal indicator bars

Ascot No.	Mfg. No.	Description
476-10135	1031	Dual Foot Service Gauge - Chrome Plated (10-150 lbs.) - Nylon Bar
476-11135	1038	Dual Foot Service Gauge w/ Heavy Duty Metal Bar (10-150 lbs.)
476-10155	1045	Dual Straight Service Chuck Gauge (10-150 lbs.) Chrome Plated
476-10165	1045T	Dual Chuck Service Gauge Black Epoxy Straight-On/ Angled - 4-Sided Nylon Bar
476-11155	1048	Dual Straight Service Chuck Gauge (10-150 lbs.) Chrome Plated w/ Metal Bar
476-10185	1095	Dual Foot Service Gauge w/ Nylon Bar (180° Foot Chuck)
476-11185	1096	Dual Foot Service Gauge w/ Metal Bar (180° Foot Chuck) - Chrome
476-10480	1048T	Dual Chuck Service Gauge Black Epoxy Straight-On/ Angled - Metal Bar
476-11048	1048ADJ	Truck Service Gauge - Straight-On/Angled Chuck w/ Adjustable Calibration
476-11148	1048S	Dual Straight Service Gauge - Short Length





AIR PRESSURE GAUGES & INFLATOR GAUGES (CTD.)

I. Large Bore Gauges

Swivel gauge swivels 3600 for those hard to reach valves

Ascot No.	Mfg. No.	Description
476-10240	1086	Large Bore Straight Gauge - 20-120 PSI
476-10255	1085	Large Bore Swivel Gauge - 10-150 PSI

J. Digital Tire Gauges

- Large, easy-to-read LCD numbers for precise readings
- Features pinpoint accuracy, convenient air bleed, protective casing
- Features dual foot chuck

Ascot No.	Mfg. No.	Description	
476-10500	DT-105	Digital Passenger Gauge 1-100 PSI	
476-15038	DT150-38CV	Digital Truck Gauge 3-160 PSI	

K. Dial Tire Gauges

Ascot No.	Mfg. No.	Description
476-45000	DG45BS-RB	Dial Gauge - 0-160 PSI - 45° Angled Chuck w/ Rigid Stem - Rubber Boot
476-90000	DG90HS-RB	Dial Gauge - 0-160 PSI - 90° Angled Chuck w/ Stainless Steel Hose - Rubber Boot

L. Digital Tire Inflator Gauge

- Range: 0-175 PSI
- Accurate to +/- 1.2 psi up to 59 psi; +/- 2.3 psi 59-145 psi; 3.6 psi more than 145 psi
- Covered with rubber sleeve for extra comfort and durability
- One button operation

- 3 in 1 function: inflate, deflate and measure tire pressure
- Long-life battery with low battery warning signal—Extra battery included
- Clip-on chuck with swivel hose to prevent kinking

Ascot No.	Mfg. No.	Description
477-00130	H-30	Digital Tire Inflator Gauge—21" Hose
477-00136	H-30-6	Digital Tire Inflator Gauge—6' Hose ■ 1-Year warranty ■ Equivalent to Rema H300532P

M. Digital Hand Held Tire Inflator

- Inflation range 0-174 PSI
- Accuracy +/- .2 PSI
- 6' Hose
- Lightweight shock resistant design
- High specification ceramic sensor
- Long life, easily replaceable battery
- Available in custom hose lengths and chuck styles

Ascot No.	Mfg. No.	Description
477-10001	Accura 1	Hand Held Digital Tire Inflator - 6' Hose



N. Hand Held Tire Inflator

- Inflation range 0-138 PSI
- Accuracy +/- 2.0 PSI
- Cast Aluminium body
- Proven linear spring gauge
- High flow valve for fast inflation
- Available in custom hose lengths and chuck styles

	Ascot No.	Mfg. No.	Description
ı	477-10003	MK3	Heavy Duty Hand Held Inflator Gauge w/ Dual Foot Chuck

O. Air Line Inflators

- Ideal for gauging and inflating dual tires on trucks and buses as well as passenger cars and light trucks
- Solid brass indicator bar
- Allows operator to stand away while inflating and deflating tires
- Bleeder valve allows user to adjust tire pressure without touching either the tire or valve stem



Standard #	Hand Held #	Digital Body #	Description
477-00001	477-20001	477-30001	Air Line Inflator Gauge: 12" Hose w/ Dual Foot Chuck
477-00002	477-20002	477-30002	Safety Inflator Gauge: 3' Hose w/ Ball Foot (Clip-On) Chuck
477-00003	477-20003	477-30003	Safety Inflator Gauge: 3' Hose w/ Straight Lock-On Chuck
477-00004	477-20004	477-30004	Safety Inflator Gauge: 6' Hose w/ Ball Foot (Clip-On) Chuck
477-00005	477-20005	477-30005	Safety Inflator Gauge: 6' Hose w/ Straight Lock-On Chuck
477-00008	477-20008	477-30008	Safety Inflator Gauge: 9' Hose w/ Ball Foot (Clip-On) Chuck
477-00009	477-20009	477-30009	Safety Inflator Gauge: 9' Hose w/ Straight Lock-On Chuck
477-00010	477-20010	477-30010	Safety Inflator Gauge: 12' Hose w/ Ball Foot (Clip-On) Chuck
477-00011	N/A	477-30011	Air Line Inflator Gauge: 12" Hose w/ Tapered Chuck
477-00012	477-20012	477-30012	Safety Inflator Gauge: 12' Hose w/ Straight Lock-On Chuck
477-00014	477-20014	477-30014	Safety Inflator Gauge: 6' Hose w/ No Chuck
477-00015	477-20015	477-30015	Safety Inflator Gauge: 15' Hose w/ Straight Lock-On Chuck
477-00020	477-20020	477-30020	Safety Inflator Gauge: 20' Hose w/ Straight Lock-On Chuck
477-00111	477-20111	477-30111	Air Line Inflator Gauge: 12" Hose w/ Lock-On Chuck
477-00112	477-20112	477-30112	Safety Inflator Gauge: 3' Hose w/ No Chuck
477-00113	477-20113	477-30113	Safety Inflator Gauge: 3' Hose w/ Sleeve Chuck
477-00115	477-20115	477-30115	Safety Inflator Gauge: 6' Hose w/ Black Epoxy Lock-On Chuck
477-00118	477-20118	477-30118	Safety Inflator Gauge: 9' Hose w/ No Chuck
477-01111	477-21111	477-31111	Air Line Inflator Gauge: 12" Hose w/ No Chuck
477-01112	477-21112	477-31112	Safety Inflator Gauge: 12' Hose w/ No Chuck
477-11111	N/A	N/A	Air Line Inflator Gauge: 12" Hose w/ Lock-On Chuck & Bleeder Valve
477-00033	477-20033	477-30033	Safety Inflator Gauge: 3' Hose w/ Euro-Style Chuck
477-00066	477-20066	477-30066	Safety Inflator Gauge: 6' Hose w/ Euro-Style Chuck
477-00099	477-20099	477-30099	Safety Inflator Gauge: 9' Hose w/ Euro-Style Chuck
477-00144	477-20144	477-30144	Safety Inflator Gauge: 12' Hose w/ Euro-Style Chuck





AIR CHUCKS & ACCESSORIES

A. Ball Foot Chucks

Ascot No.	Mfg. No.	Description
478-00305	5565	Ball Foot Air Chuck - 1/4" FPT Fitting - Normally Closed
478-00315	5567	Ball Foot Air Chuck & Clip (1/4" FPT) - Normally Closed
478-00325	5567-FT	Ball Foot Air Chuck & Clip (1/4" FPT) - Normally Open
478-05451	N/A	Heavy Duty Clip-On Ball Foot Air Chuck - Normally Closed (Alligator)
478-00707	N/A	Washer for Clip-On Ball Foot Air Chuck
478-04500	N/A	Clip Only for Clip-On Ball Foot Air Chuck
478-04501	N/A	Economy Clip for Clip-On Ball Foot Air Chuck
478-55653	5565-3	Replacement Washer for Ball Foot Air Chucks

B. European Style Clip-On Chucks

Ascot No.	Mfg. No.	Description
478-02985	5570	Clip-On Air Chuck (Closed) - European Style
478-02995	5570-FT	Clip-On Air Chuck (Open) - European Style
478-00001	AC-1	Euro-Style Air Chuck 1/4" Hose Barb (Open)

C. Lock-On Air Chucks

Ascot No.	Mfg. No.	Description
478-00340	5560	Lock-On Chuck - Normally Closed - 1/4" FPT Fitting

D. Dual Foot Air Chucks

Ascot No.	Mfg. No.	Description
478-01350	6568T	Dual Foot Black Epoxy Straight-On/Angled - Normally Closed
478-00335	6566	Dual Foot Chuck - plated finish (1/4" FPT) - Normally Closed
478-01330	6568-FT	Dual Foot Chuck (1/4" FPT - 6" Long) Lock-On Threads - Normally Open
478-01335	6566-FT	Dual Foot Chuck - Plated Finish (1/4" FPT) - Normally Open
478-01351	6568T-FT	Dual Foot Black Epoxy Straight-On/Angled - Normally Open
478-03300	6568	Dual Foot Chuck (1/4"FPT - 6" Long) Lock-On Threads -
478-03301	6569	Dual Foot Chuck w/ Straight-On Chuck (1/4" FPT)
478-03330	6568L	Straight-on/Angle Normally Closed Chuck w/ Lock-On Feature 14" Length
478-03370	6596	180° Dual Foot Air Chuck w/ Lock-On Feature
478-00013	T13LC	Replacement Washer for Dual Foot Air Chucks

E. Large Bore Air Chucks

Ascot No.	Mfg. No.	Description
478-00322	6587LB	Large Bore Dual Foot Air Chuck
478-06585	6585-LB	Large Bore Dual Foot Air Chuck - Right Angle

F. Air Chuck Repair Kits

Ascot No.	Mfg. No.	Description	
478-55652	5565-20	Repair Kit for Hex Ball Foot Air Chucks	
478-55700	5570RK	Repair Kit for 5570 Air Chucks	
478-65663	6566-30	Repair Kit for 6566 Dual Foot Chucks	
478-65684	6568-40	Repair Kit for 6568 Dual Foot Chucks	
478-65685	6568T-40	Repair Kit for Tapered Chucks	

C

D

Е

Wide Base 2-Bar Portable Tire Cage



SAFETY INFLATION CAGES

A. 2-Bar Foldable Inflation Cage

REGIII AR

- Portable unit ideal for service trucks
- Compact and lightweight
- Meets or exceeds OSHA Standard 29 CFR 1910.177

WIDE BASE

- Especially designed for wide based tires
- Will accommodate super single and super wide radial tires
- Base (Effective) Width—22"
- Inside (Effective) Height—49-1/16"
- Weight—80 Lbs.
- Shipped in a cardboard box

Ascot No.	Mfg. No.	Description
479-36001	MIC-2	2 Bars Foldable Inflation Cage
479-36011	MIC-2WB	2-Bar Wide Base Foldable Inflation Cage

B. 3-Bar Inflation Cage

- Heavy duty steel construction
- Holds up to 54" diameter and 20" wide
- Meets or exceeds OSHA Standard 29 CFR 1910.177
- Dimensions 22" x 26" x 57"

Ascot No.	Mfg. No.	Description
479-36006	MIC-3	3 Bars Inflation Cage

C. 4-Bar Inflation Cage

- Heavy duty steel construction
- Holds up to 54" diameter and 20" wide
- Meets or exceeds OSHA Standard 29 CFR 1910.177
- Dimensions 32" x 26" x 57"

Ascot No.	Mfg. No.	Description
479-36002	MIC-4	4 Bars Inflation Cage

D. 5-Bar Inflation Cage

- Heavy duty steel construction
- Holds up to 54" diameter and 20" wide
- Meets or exceeds OSHA Standard 29 CFR 1910.177
- Dimensions 41" x 26" x 57"

Ascot No.	Mfg. No.	Description
479-36005	MIC-5	5 Bars Inflation Cage

E. 60" 5-Bar Tire Inflation Cage

 Specifically designed for use with trucks, military vehicles, tractors, aircraft & OTR applications

- Dimensions 41" x 39-1/2" x 68"
- Meets or exceeds OSHA Standard 29 CFR 1910.177

Ascot No.	Mfg. No.	Description
479-36015	MIC-OTR	60" 5-Bar Tire Inflation Cage





WHEEL BALANCING TOOLS & ACCESSORIES

A. Counteract Balancing Beads

- Perfect balance perfect wear
- Clean, trouble free balancing micro-beads provide continuous self-adjusting balance
- No clumping
- Just open the outside package and throw the inside bag into the tire
- Method allows the use of an air blaster to seat the tire on the rim without contaminating the seating area
- Air blaster pressure inside the tire will collapse the bag containing Counteract Balancing Beads or the package will break open and release its contents soon after driving
- Available in application sizes from passenger vehicles to heavy trucks
- All packaging is color coded to tire size on application chart



Ascot No.	Mfg. No.	Description
451-00013	13-cbb-inj	Injector Pump for Counteract Beads
451-00201	1 oz. BP	1 Oz. Bag in Bag of Counteract Passenger Balancing Beads - 160 Bags per Case
451-00202	2 oz. BP	2 Oz. Bag in Bag of Counteract Passenger Balancing Beads - 128 Bags per Case
451-00203	3 oz. BP	3 Oz. Bag in Bag of Counteract Passenger Balancing Beads - 96 Bags per Case
451-00204	4 oz. B	4 Oz. Bag in Bag of Counteract Beads - 92 Bags per Case
451-00205	5 oz. B	5 Oz. Bag in Bag of Counteract Beads - 76 Bags per Case
451-00206	6 oz. B	6 Oz. Bag in Bag of Counteract Beads - 64 Bags per Case
451-00208	8 oz. B	8 Oz. Bag in Bag of Counteract Beads - 52 Bags per Case
451-00210	10 oz. B	10 Oz. Bag in Bag of Counteract Beads - 40 Bags per Case
451-00212	12 oz. B	12 Oz. Bag in Bag of Counteract Beads - 36 Bags per Case
451-00214	14 oz. B	14 Oz. Bag in Bag of Counteract Beads - 32 Bags per Case
451-00216	16 oz. B	16 Oz. Bag in Bag of Counteract Beads - 28 Bags per Case
451-00301	1 oz. SS	1 Oz. Stainless Steel Counteract Beads - 160 Bags per Case
451-00302	2 oz. SS	2 Oz. Stainless Steel Counteract Beads - 128 Bags per Case
451-00303	3 oz. SS	3 Oz. Stainless Steel Counteract Beads - 96 Bags per Case
451-00304	4 oz. SS	4 Oz. Stainless Steel Counteract Beads - 92 Bags per Case

B. Rim Width Caliper

- Measures wheel width in inches
- For use with all COATS automotive balancers
- Equivalent to COATS 309011

Ascot No.	Mfg. No.	Description
482-09011	8309011	Rim Width Caliper

C. Passenger Car Wheel Weight Tool

• The industry standard for passenger car wheel weight tools

Ascot No.	Mfg. No.	Description
486-00011	P-1	Economy Chrome Wheel Weight Hammer



482-09011 Rim Width Caliper



E. Euro-Style Wheel Weight Hammer

- Heavy Commercial Duty Design
- Coated Handles for Comfort
- Nickel Plated Vanadium

	Ascot No.	Mfg. No.	Description
۱	486-00222	P-2C	Euro-Style Wheel Weight Hammer

F. Coated Wheel Weight Tool

- Protects valuable wheels from damage
- Features replaceable plastic head

Ascot No.	Mfg. No.	Description
486-00233	P-3B	Soft Head, Soft Claw Wheel Weight Hammer
486-00133	P-3H	Package of Six (6) P-3 Replacement Heads

G. Heavy Duty Wheel Weight Hammer

- Heavy duty construction
- Designed for use on coated wheel weights
- Replaceable plastic head available
- Will not mar alloy wheels

Ascot No.	Mfg. No.	Description
486-33580	3358	Heavy Duty Wheel Weight Hammer
486-33584	335804	Replacement Head

H. Premium Fiberglass Wheel Weight Hammer

- Used to easily install and remove all types of steel and zinc clip-on wheel weights
- Standard with large replaceable hook for prying
- Fiberglass shaft for added durability
- The hook is made from cold rolled steel
- The striking face has a nonmarring, surface protective medium-hard replaceable tip
- Slip-resistant, ergonomic grip reduces arm strain & fatigue
- Replacement hooks and caps available soon

Ascot No.	Mfg. No.	Description	
486-11000	P110	Premium Fiberglass Wheel Weight Hammer	
486-11002	P110-2	Replacement Small Hook for Premium Wheel Weight Hammer	
486-11003	P110-3	Replacement Large Hook for Premium Wheel Weight Hammer	4
486-11004	P110-4	Replacement Tip for Premium Wheel Weight Hammer	



Wheel Weight Hammer

> 486-11002 Replacement Small Hook

486-11003 Replacement Large Hook

486-11004 Replacement Tip

www.ascotsupply.com





WHEEL BALANCING TOOLS & ACCESSORIES (CTD.)

I. Heavy Duty Adhesive Wheel Weight Scrapers

- For use with stick-on wheel weights
- Knobbed handle to prevent hand from slipping while removing wheel weights
- Made of high impact plastic
- Equivalent to ESCO 50146

Ascot No.	Mfg. No.	Description
486-71510	N/A	Red Heavy Duty Adhesive Wheel Weight Scraper
486-71511	N/A	Black Heavy Duty Adhesive Wheel Weight Scraper

J. Wheel Cleaner

1	Ascot No.	Mfg. No.	Description
	486-75017	WC-1G	Wheel Cleaner - 1 Gallon
ì	486-75032	WC-32	Wheel Cleaner - 32 oz. spray bottle



486-75017 Wheel Cleaner, 1 Gallon

491-00133

Metric 2-Pc. Hub Centering Nut

MISCELLANEOUS WHEEL & RIM PARTS

A. Metric 2-Pc. Hub Centering Nut

- Metric 2-pc. hub centering nut-33mm hex x 1.5mm thread
- Designed to eliminate imbalance in truck wheels
- Stamped 450-500 ft./lbs.
- Elongated neck for centering the wheel to the hub
- Assembled in USA
- Packaged 75 per master carton

Ascot No.	Mfg. No.	Description
491-00133	N/A	Metric 2-Pc. Hub Centering Nut



B. 5 Pc. Locking Lug Nut Twist Socket Removal Kit

- Metric 2-pc. hub centering nut-33mm hex x 1.5mm thread
- Designed to eliminate imbalance in truck wheels
- Stamped 450-500 ft./lbs.
- Elongated neck for centering the wheel to the hub
- Assembled in USA
- Packaged 75 per master carton

Ascot No.	Mfg. No.	Description
492-04240	LT-4240	5 Pc. Locking Lug Nut Twist Socket Removal Kit





C. Stud Installers and Removers

Ascot No.	Mfg. No.	Description
492-10134	X10-SI34Z	3/4" - 10 Stud Installer
492-10158	X10-SI58Z	5/8"- 11 Stud Installer
492-10590	X10-SI59Z	5/8"- 18 Stud Installer
492-10180	X10-SR18B	1-1/8" (13/16") Stud Remover
492-10340	X10-SR34B	3/4" Stud Remover
492-10580	X10-SR58B	5/8" Stud Remover
492-15000	X10-NR15B	1-1/2" Hex Nut Remover Kit - 3 Pc. Kit
492-10150	X10-LC15B	Rib Nut Salvage Cylinder
492-10151	X10-LP15Z	3/8" x 4" Drive Pin

D. Rib Nut Salvage Tool Kit

 Consists of (1) Drift Pin, (1) Salvage Cylinder, (1) LH Thread Bolt, and (1) RH Thread Bolt

Ascot No.	Mfg. No.	Description
499-10150	X10-LS15B	Rib Nut Salvage Tool Kit

E. Replacement Rib Nuts

Ascot No.	Mfg. No.	Description
499-10180	X10-LN18B	1-1/8" (13/16") Rib Nut
499-10211	X10-LN21B	21mm Rib Nut
499-10341	X10-LN34B	3/4" Rib Nut
499-10581	X10-LN58B	5/8" Rib Nut

F. Heavy Duty Drive-On Rib-Grip Lug-Off Kits

Ascot No.	Mfg. No.	Description
499-10200	X10-LT20B	For Removing Damaged Inner Cap Nuts (1-1/8" Dia.—13/16" Square Head). Consists of 1 Drive-On Tool And 1 Rib Nut.
499-10340	X10-LT34B	For Removing Damaged 3/4" Lug Studs. Consists of 1 Drive-On Tool And 1 Rib Nut.
499-10580	X10-LT58B	For Removing Damaged 5/8" Lug Studs. Consists of 1 Drive-On Tool And 1 Rib Nut.
499-10660	X10-LT66B	Triple Duty Tool For Removing Damaged Budd Wheel Inner Cap Nuts, 3/4" And 5/8" Lug Studs. Consists of 1 Drive-On Tool And 3 Rib Nuts.









В

D



TIRE REPAIR TOOLS

A. Aerosol Pre-Buff Cleaner

- Non-flammable
- Prepares rubber for easy tire repairs
- Removes contaminants
- Dries fast & leaves no residue
- 16 oz. per can
- 12 cans per case

Ascot No.	Mfg. No.	Description
505-71216	N/A	Aerosol Pre-Buff Cleaner - Non-Flammable

B. Rubber Knife

High carbon steel, square point, glaze finish, round burnt finish handle (riveted)

Ascot No.	Mfg. No.	Description
531-60070	X4x1S	4" x 1" (102 x 26mm)
531-60130	60130	6" x 1" (152 x 26mm)
531-60150	X8x1-1/8S	8" x 1-1/8" (203 x 29mm)
531-60170	60170	10" x 1-1/4" (254 x 32mm)

C. Hawk Bill Tire Repair Knife

• High carbon steel, hawk bill notch, glaze finish, round burnt finish handle (riveted)

Ascot No.	Mfg. No.	Description
531-60570	X751N	2" Hawk Bill Notch Repair Knife

D. Skiving Knife

Ascot No.	Mfg. No.	Description
531-70030	70030	4-1/4" Tire Repair Handle

E. Round Point Flexible Repair Knife

High carbon steel, round point skiver, glaze finish, round burnt finish handle (riveted)

Ascot No.	Mfg. No.	Description
531-75150	X2RF	4" Round Point Flexible Tire Repair Knife

F. Taper Point Flexible Repair Knife

• High carbon steel, taper point, glaze finish, round burnt finish handle (riveted)

Ascot No.	Mfg. No.	Description
531-75190	X2T	4" Taper Point Flexible Tire Repair Knife

49



G. Other Knives

Ascot No.	Mfg. No.	Description
531-60300	60300	4" x 1" Curved Notch Repair Knife
531-75220	75220	3/8" Curved Point Shoe Knife
531-75310	X3N	4-7/8" Round Point Skiving Knife

H. Trimmer Blade

- High carbon steel, 9" trimmer, 1/4" notch
- Used by tire manufacturers and recappers for trimming vents

Ascot No.	Mfg. No.	Description	Box
531-60500	60500	1-7/8" x 2" 9 Notch Trimmer	12

I. Serial Number Removal Tool

Ascot No.	Mfg. No.	Description
531-95001	TTHB-1	Serial Number Remover Tool
531-95002	RRB-1	12-Pack Replacement Blades

J. Quart Cement Dispenser with Plastic Handle Brush

- Refillable can designed for tire repair cements
- Screw-on brush-top to prevent leakage
- Large horsehair brush to carry more cement to the repair zone
- Stout, longlasting varnished can for heavy duty handling
- Easy to clean
- Allows users to use their cements from a bulk source

Ascot No.	Mfg. No.	Description
532-14381	14-381	Quart Cement Dispenser with Plastic Handle Brush

K. Carbide Cutting Tools

Ascot No.	Mfg. No.	Description
533-01120	BU12B	1/2" Ball Burr
533-01140	BU14TR	1/4" Router Burr - 3" OAL
533-01141	BU14T	1/4" Taper Burr
533-01180	BU18R	1/8" Router Burr
533-01181	BU18T	1/8" Taper Burr
533-01182	BU18TL	1/8" Taper Burr - 3" Overall Length
533-01381	BU38T	3/8" Taper Burr
533-01516	BU516NR	5/16" Long Taper Burr
533-01716	BU716N	7/16" Long Taper Burr
533-01732	BU732N	7/32" Long Taper Burr
533-11141	00917	1/4" Router Burr - 2-1/2" OAL













TIRE REPAIR TOOLS (CTD.)

L. Buffing Stones For Steelbelted Tires

Please specify white or brown color when ordering

Ascot No.	Mfg. No.	Description
534-80005	A-5	Small Cone 3/4" Stone Diameter
534-80001	A-1	Large Cone 3/4" Stone Diameter
534-80011	A-1B	Large Cone 3/4" Stone Diameter - Brown
534-80015	A-15	Pencil Point 1/4" Stone Diameter
534-80115	A-15B	Pencil Point 1/4" Stone Diameter - Brown
534-81115	A-15SS	Pencil Point 1/4" Stone Diameter - Stainless Steel Shank
534-80024	A-24	Rounded Head Pencil 1/4" Stone Diameter
534-80036	A-36	Stone Disc 1-3/4" Diameter
534-80136	A-36B	Stone Disc 1-3/4" Diameter - Brown
534-80037	A-37	Stone Disc 1-1/4" Diameter
534-80137	A-37B	Stone Disc 1-1/4" Diameter - Brown

M. Professional Stitchers

 Corrugated ball bearing stitcher with hardened steel wheel and varnished wooden handle

Ascot No.	Mfg. No.	Description
536-00001	CS-1	1-1/2" x 1/16" Corrugated Stitcher
536-02040	MR02040	2" x 2" Flat Roller
536-02890	MR02890	2" x 1/16" Corrugated Stitcher
536-02910	MR02910	2" x 1/4" Corrugated Stitcher
536-06500	MR06500	2" x 2" Porcupine Roller

N. Economy Ball-Bearing Stitcher

- Wheel diameter—1-1/2"
- Face width—1/16"
- Serrated wheel

- Varnished wood handle
- Handle length—5"
- OAL—7-1/2"

Ascot No.	Mfg. No.	Description
536-01121	VT-1121A	Economy Ball-Bearing Stitcher

0. Tire Probe Awls

Used to inspect injuries in tires and to remove small stones and debris

Ascot No.	Mfg. No.	Description
537-00001	AWL-1	Black Handle Awl
537-00005	SC5C	Wood Handled Ryan-Style Awl
537-00919	VT-919	Tire Repair Awl

51

Q

P. Innerliner Scraper

- This tool is a must for professional tire repairs
- Eliminates power buffing on many tire repairs
- Scraper removes material that might contaminate buffing wheels, ensuring a better repair every time

Ascot No.	Mfg. No.	Description
537-00004	S-4	Black Handle Inner Liner Scraper

Q. Disc Wheels / Disc Sidewall Wheels

For angle head machines; section repair and cosmetics

Ascot No.	Mfg. No.	Description
538-01160	RH1160	7" Disc x 7/8" Bore w/ 390 SSG
538-01162	RH1162	7" Disc x 7/8" Bore w/ 230 SSG

R. Flared Contour/Precision Contour Wheels

- Redesigned to most effectively use their "SSG" tooth armorings
- Working faces of the wheels are at an angle to the shaft, which makes it easy to clear the handpiece for working inside and outside of casings
- Wide and nearly flat working face radius produces the ideal texture over a wider contact area for a more even textured surface

Ascot No.	Mfg. No.	Description
538-10200	RH102	1-3/4" Flared Cup - 230 SSG
538-10400	RH104	1-3/4" Flared Cup - 390 SSG
538-10700	RH107	2-1/2" Flared Cup x 1" x 3/8" w/ 170 SSG
538-10760	RH107-60	2-1/2" Flared Cup x 1" x 3/8" w/ #60 Grit
538-10900	RH109	2-1/2" Flared Cup x 1" x 3/8" w/ 230 SSG
538-11100	RH111	2-1/2" Flared Cup x 1" x 3/8" w/ 390 SSG
538-11200	RH112	3" Flared Cup x 1-1/4" x 3/8" w/ 170 SSG
538-11400	RH114	3" Flared Cup x 1-1/4" x 3/8" w/ 230 SSG
538-11600	RH116	3" Flared Cup x 1-1/4" x 3/8" w/ 390 SSG
538-11800	RH118	3-1/2" Contour Wheel x 3/8" w/ 170 SSG
538-12000	RH120	3-1/2" Contour Wheel x 3/8" w/ 230 SSG
538-12200	RH122	3-1/2" Contour Wheel x 3/8" w/ 390 SSG
538-12900	RH129	4" Cup x 1-1/2" x 3/4" w/ 390 SSG

S. "Mini-Cup" Flared Contour Wheels

- Innerliner buffer
- Available in grit or "SSG" coating

Ascot No	. Mfg. No.	Description
538-13000	RH130	2" Black Mini Cup w/ #60 Grit
538-13017	RH130-170	2" Mini Cup x 3/4" x 3/8" w/ 170 SSG
538-13023	RH130-230	2" Mini Cup x 3/4" x 3/8" w/ 230 SSG











538-15200 Polyplug for Flared Contour Wheel



538-30400 Round Face Buzzout Wheel





TIRE REPAIR TOOLS (CTD.)

A. Polyplugs for Flared Contour Wheels

- Made for flared contour wheels and are reusable
- Make the wheels run true, protect them from damage and provide a flywheel effect for better control

	Ascot No.	Mfg. No.	Description
	538-15100	RH151	Poly Plug Insert 3/8" ID for 2" Cup"
I	538-15200	RH152	Poly Plug Insert 3/8" ID for 2-1/2" Cup
1	538-15400	RH154	Poly Plug Insert 3/8" ID for 3" Cup
	538-15600	RH156	Poly Plug Insert 3/8" ID for 3-1/2" Cup

B. Round Face Buzzout Wheels

• For skiving and texturing of larger exterior section repairs

A	scot No.	Mfg. No.	Description
53	38-30000	RH300	2" Buzzout x 1/4" x 3/8"-24b.o. w/ 230 SSG
53	38-30200	RH302	2" Buzzout x 1/4" x 3/8"-24b.o. w/ 390 SSG
53	38-30400	RH304	2" Buzzout x 3/8" x 3/8"-24b.o. w/ 230 SSG
53	38-30600	RH306	2" Buzzout x 3/8" x 3/8"-24b.o. w/ 390 SSG

C. Tapered Cones

• For skiving and texturing of larger exterior section repairs

Ascot No.	Mfg. No.	Description
538-50100	RH501	1-3/8" Tapered Cone - 230 SSG
538-51100	RH511	4" Tapered Cone - 390 SSG

D. Small and Medium Balls

- Medium balls for skiving/ texturing of larger exterior section repairs
- Small balls for skiving/texturing of medium exterior section repairs

Ascot No.	Mfg. No.	Description
538-55300	RH553	1-1/8" Ball 390 SSG
538-60100	RH601	1/2" x 1/4" Shank Ball w/ 330 SSG
538-60300	RH603	3/4" x 1/4" Shank Ball w/ 330 SSG

E. Small Tapers

For small section repairs of tread and sidewall

Ascot No.	Mfg. No.	Description
538-61100	RH611	1/2" x 1/4" Shank Taper w/ 330 SSG

F. Rotor Saws

• For small buzzout repairs of tread and sidewall

Ascot No.	Mfg. No.	Description
538-61900	RH619	1-1/4" x 1/8" x 1/4" Shank Saw w/ 330 SSG

53



G. Nail Hole Reamers

• For plug repairs on fabric tires only

Ascot No.	Mfg. No.	Description
538-62500	RH625	1/4" x 3" x 1/4" Shank NHR w/ 230 SSG
538-62600	RH626	1/4" x 3" x 1/4" Shank NHR w/ 390 SSG & #23 Grit
538-62700	RH627	3/8" x 3" x 1/4" Shank NHR w/ 230 SSG

H. 1/8" Shank Kits

• For extremely small defect repairs

Ascot No.	Mfg. No.	Description
538-63500	RH635	1/8" Shank Tool Kit w/ 170 SSG

I. Donut Wheels

• For Marangoni, Collman and other sidewall buffers

Ascot No.	Mfg. No.	Description
538-70600	RH706	5" Donut Wheel - 390 SSG

J. Buffing Wheel

- Coarse grit, round nose
- 2-1/2" diameter

Tungsten carbide

For use on tires or tubes

Ascot No.	Mfg. No.	Description	
539-10001	BC-1	2-1/2" Radius Cup Rasp	

K. Push Through Patch/Plug

- One-piece molded rubber patch/plug unit with a metal guill that protects the stem from damage during insertion
- For tread area of bias and radial passenger and truck tires

Ascot No.	Mfg. No.	Description	
587-01150	QS50R	1/8" Quill Patch Plug - 48 per Box	
587-01151	QSR1	1/4" Quill Patch Plug - 24 per Box	
587-01152	QSR2	1/4" Quill Patch Plug - 48 per Box	

L. Lead Wire Pull Through Patch/Plug

- Easiest and most popular method to fill a nailhole and apply a patch in one simple step
- Lead-wire guides the rubber stem through injury
- Stem coated with self vulcanizing material and patch features Versacure bonding gum
- For tread area of bias and radial passenger and truck tires

١	Ascot No.	Mfg. No.	Description	
	587-01303	M-3	1/8" Plug-N-Patch - 48 per Box	
	587-01306	M-6	1/4" Plug-N-Patch - 24 per Box	
	587-01309	M-9	3/8" Plug-N-Patch - 24 per Box	









D

632-01002 Sure Shot Pressure Sprayer

TIRE TAGS & INSPECTION TOOLS

A. Tire Labels

- 2-1/2" x 6" label for easy identification of new, used and retreaded tires
- Packed 500 per roll

١	Ascot No.	Mfg. No.	Description
١	601-00101	TL-101	Tire Labels New-Used-Retread

B. Adjustable Center-Post Tire Spreader

- Easy to use, durable
- Adjustable from 0" to 10"

Ascot No.	Mfg. No.	Description
605-08028	N/A	Adjustable Tire Spreader 0" to 10"

C. Manual Tire Spreader

- Lightweight and easy to use
- Special locking pin for safety
- Made from durable materials
- Locks both beads open for easy tire inspection and repair

Ascot No.	Mfg. No.	Description
605-14191	MS-1	Manual Tire Spreader

D. Spray Bottle

Ascot No.	Mfg. No.	Description
632-00922	TS-922	16 Oz. Poly Trigger Sprayer

E. Sure Shot Pressure Sprayers

- Air pressurized and refillable
- Environmentally safe eliminates aerosol usage
- For brake and parts cleaner, penetrating oils, lubricants, degreasers, solvents
- Made in USA

Ascot No.	Mfg. No.	Description	
632-01002	A1002	Sure Shot Black Enameled Steel Sprayer w/ Adjustable Nozzle	
632-02000	A2000	Sure Shot Plated Brass Sprayer	
632-10001	A1000R	ure Shot Enameled Steel Sprayer - Red	
632-10002	A1000G	re Shot Enameled Steel Sprayer - Green	
632-00005	K-5	Partial Repair Kit for Model A Sure Shot Sprayers	
632-00010	K-10	Complete Repair Kit for Model A Sure Shot Sprayers	

B

C

D



TIRE CARTS, RACKS & DISPLAYS

A. Tire Cart

- Easy to maneuver ...even with a full load of tires
- Can handle tires up to 35 inches in diameter
- All you have to do is to push down on the pedal, slide the cart under the stack
 of tires and release the pedal The frame lines up the tire on its own
- Allows you to move tires 16 to 35 inches in size

Ascot No.	Mfg. No.	Capacity	Dimensions
703-00810	MTC	8 to 10 tires	35" O.D. Max

B. Showroom Tire Display

- Ideal for showing your tires to your customers
- Can hold eight tires with a diameter of up to 29 inches
- Complete with a pamphlet holder and 15 sliding strips of major tire brands

Ascot No.	Mfg. No.	Capacity	Dimensions	Color
751-00008	MSTD-R	8 tires (29" O.D.)	35" X 98" X 34"	Red
751-00018	MSTD-N	8 tires (29" 0.D.)	35" X 98" X 34"	Black

C. Four Tire Rolling Display

- Display holds 4 tires 3 at the bottom and 1 on top
- Rigid wheels for ease of mobility
- Dimensions 38" x 27" x 44"
- Weight 45 Lbs.
- Shipped in a cardboard box
- Units are equipped with blank signs for customized logo

Ascot No.	Mfg. No.	Description	
751-00044	MFTD	Four Tire Rolling Tire Display	

D. 60" Tire Display on Casters

- The standard tire display is 60" long and holds up to 14 tires 7 on each of 2 tiers.
- This model is used a great deal by Goodyear and Michelin.
- With 2 wheels and 2 steel feet, moving this rack requires the display truck. The truck acts as a lever, facilitating handling in snow, on gravel surfaces and on inclines.

Ascot No.	Mfg. No.	Description
751-00060	MTD-60	60" Tire Display on Casters, 14-tire capacity













TIRE CARTS, RACKS & DISPLAYS (CTD.)

E. 72" Tire Display on Casters

- Provides an excellent compromise between strength and lightness
- Equipped with casters that let you move it quickly and easily
- Allows you to store 16 tires with an outside diameter of up to 31 inches.

	Ascot No.	Mfg. No.	Description
1	751-00072	MTD-72	72" Tire Display on Casters, 16-tire capacity

F. Wall Mount Tire Rack

- Get bulky tires out of your work space. The wall mount tire rack lets you store eight tires on the wall and keep your floor tire-free.
- Easy to assemble and install on a wooden or concrete wall.

Ascot No.	Mfg. No.	Capacity	Dimensions
751-00066	MWM-66	8 tires	66" width

G. 3-Tier Tire Shelving

- This storage system is ideal for areas where a forklift cannot be used since it is designed to maximize upright tire storage.
- This system is mainly used to store a small number of tires.

Ascot No.	Mfg. No.	Capacity	Dimensions
751-00092	MTS-92	30 to 36 tires	92" X 92" X 18"

H. 3-Tier Tire Display

- This display unit mounted on two fixed wheels can hold 21-30 tires with rims
- Handling requires a dolly designed specifically for wheel-mounted tire display units
- It is 60" long (1524 mm) and ideally suited for heavier loads and uneven ground
- Comes with a logo plate (48" x 12") painted black to put your logo

Ascot No.	Mfg. No.	Description
751-00272	MTD-3T	60" 3-Tier Tire Rack








I. Tire Shelving

- Holds 10-12 tires per level
- The rails are tilted to 45 degrees to properly seat the tires
- Shelves are adjustable in 1/2" increments
- Packaged in a cardboard box
- 4-Tier Dimensions: 92" x 18" x 120" Weight: 140 lbs.
- 5-Tier Dimensions: 92" x 18" x 150" Weight: 170 lbs.



Ascot No.	Mfg. No.	Description
751-00924	MTS-924	Tire shelving 92" x 120" x 4 tiers
751-00925	MTS-925	Tire shelving 92" x 155" x 5 tiers

J. Tire Stand

- This economical tire display holds 6 tires.
- Because of its height, it uses very little floor space just 4 square feet.
- The tires are suspended on display hooks provided in strategic positions.
- The base of this tire display consists of 3 legs made of laser-cut steel for increased accuracy and stability.

Ascot No.	Mfg. No.	Description
751-00773	MSSD	Tire Stand

K. Wall Grid System

- Holds 8 tires/wheels
- Weight 57 lbs.
- Packaged in a cardboard box
- Replacement grids and hooks available separately









TIRE CARTS, RACKS & DISPLAYS (CTD.)

L. Folding Rack - Passenger & Light Truck

- Flexible & mobile, this system helps you keep tire handling to a minimum and offers unparalleled versatility.
- It allows you to store a large number of tires when they are placed in a laced pattern but it also can be used for fewer tires if they rest on the tread.
- The racks are made of heavy duty steel and are built for superior durability.

Ascot No.	Mfg. No.	Capacity	Dimensions
751-03260	MLTFD	32 to 60 tires	72" X 50" X 66"

M. Stacking Rack - Passenger & Light Truck

- This versatile, modular storage system offers enormous flexibility in the layout of your tire warehouse.
- The racks are mobile and stackable, allowing you to move them quickly.
- This system is ideal for storing a large number of tires.
- The removable posts let you stack the bases which can be covered by wire mesh or a perforated plate - reducing the space taken up by the racks by 80%.

Ascot No.	Mfg. No.	Capacity	Dimensions
751-06060	MSR-6060	28 to 35 tires	60" X 60" X 60"

N. Folding Rack - Truck & Buses

- For easier storage and movement of truck or farm vehicle tires, the folding rack lets you stand them side by side, making them more accessible.
- You can stack up to 4 full racks holding 8 tires each.

Ascot No.	Mfg. No.	Capacity	Dimensions
751-08010	MTFR	8 to 10 tires	94" X 44" X 52"



Folding Rack - Passenger & Light Truck_

ALPHABETICAL INDEX

#2 Phillips Screwdriver		Folding Rack - Truck & Buses	_ 58	Rib Nut Salvage Tool Kit	47
1" Drive Heavy Duty Air Impact Wrench		Ford Complete Banded High Pressure Sensor Package	32	Rim Clamp Bead Lifting Tool	24
1/2" Drive 13-Piece Wheel Lock Removal Kit	_ 20	Ford Complete Banded Transmitter Package	-	Rim Width Caliper	44
1/2" Drive 22mm Torque Socket		Ford Replacement TPMS Snap-In Valve		Rotor Saws	
1/2" Drive 5 Pc. Torque Limiting Extension Set		Four Tire Rolling Display		Round Paint Florible Papers Knife	
1/4" Socket Driver		Gauge Counter Displays	38	Round Point Flexible Repair Knife	
1/8" Shank Kits		GM & Ford Replacement TPMS Snap-In Valve	31	Rubber KnifeKneepsery Kite	
1/2" Drive Torque Limiting Socket Set		Hand Held Tire Inflator		Schrader TPMS Accessory Kits	
2-Ear Clamp Service Kit		Handle Protector	22	Schrader TPMS Valve CoreSerial Number Removal Tool	
2-Ear Clamps		Hawk Bill Tire Repair Knife	48		
20153 Transmitter Accessories		Heavy Duty Adhesive Wheel Weight Scrapers		Showroom Tire Display	
Adjustable Center-Post Tire Spreader	_ 54 48	Heavy Duty Drive-On Rib-Grip Lug-Off Kits		Skiving Knife	
Aerosol Pre-Buff Cleaner	40 42	Heavy Duty Wheel Weight Hammer		Slotted ScrewdriverSmall and Medium Balls	
Air Chuck Repair Kits	42 41	Hose Splicers	7	Small Tapers	
Air Line Inflators Aluminum Ram	_ 41 17	Hubcap Puller/Replacer	21	Solid Brass Air Hose Bushing	
Angled Neck Lube Bucket for Center-Post Tire	_ 17	Hydraulic Coupler Dust Cap			
Changers	25	Hydraulic Couplers 7		Spare Tire Tool SetSpray Bottle	
Ascot & Markal B Paintsticks	28	Hydraulic Hoses	17	Stacking Rack - Passenger & Light Truck	
Automatic Drain		Impact Wrench Accessories	9	Standard Male Hose Barb Fittings	
Automotive Tire Gauges		In-Line Air Tool Filter		Straight Lube Bucket for Rim Clamp Tire Changers_	
Ball Foot Chucks		Individual Spare Tire Tools	19	Stud Installers and Removers	
Bartec EZ Sensor Starter Kits		Individual Wheel Torque Wrenches	16	Super Duty Air Impact Wrench with	~′
Bartec Programming Fixture		Inflation Cage		2" Extended Anvil	9
Bead Bazooka with Auto Release System		Innerliner Scraper	51	Sure Shot Pressure Sprayers	
Blue Polyurethane Recoil Air Hose		Laminated 2011 Torque Chart - Poster Size		Taper Point Flexible Repair Knife	
Blue Wide Mouth Rubber Coated Bead Keeper		Large Bore Air Chucks	42	Tapered Cones	
Buffing Stones For Steelbelted Tires		Large Bore Gauges	40	Tire Cart	55
Buffing Wheel		Lead Wire Pull Through Patch/Plug		Tire Display on Casters	
Carbide Cutting Tools		Lock-On Air Chucks		Tire Inflation Cage	43
Coalescing/Oil Removing Filters		Locking Lug Nut Twist Socket Removal Kit	46	Tire Labels	 54
Coated Wheel Weight Tool	45	Low Speed Tire Buffer with Quick Change Slip Chuck		Tire Pressure Monitoring System	
"Combi" Tire Bead Breaker	23		3	(TPMS) Transmitters	29
Counteract Balancing Beads		Mag Tool Replacement Insert Kit	22	Tire Probe Awls	50
Coupled Air Hoses		Manual Tire Spreader		Tire Regrooving Tools & Accessories	
Dial Tire Gauges	40	Marvel Air Tool Oil - Quart	_ 9	Tire Display	56
Digital Hand Held Tire Inflator	40	Master Test Gauge	39	Tire Shelving5	6, 57
Digital Tire Gauges		Metric 2-Pc. Hub Centering Nut	46	Tire Stand	
Digital Tire Inflator Gauge		"Mini-Cup" Flared Contour Wheels	51		19
Digital Tread Depth Gauge	26	Mini In-Line Disposable Desiccant Dryer		Tire Tread Depth Gauge & Wheel Bolt	07
Digital Truck Tire Gauge	38	Miscellaneous TPMS Transmitters & Accessories	30	Pattern Gauge	
Dill Aluminum Replacement TPMS Stem		Miscellaneous Tire Swabs and Brushes	25	Torque Wrenches	14
Disc Wheels / Disc Sidewall Wheels		Modular Units	_ 3	TPMS Countrates Displays	
DiscMate Wheel Protectors	21	Nail Hole Reamers	53	TPMS Countertop Displays	
Donut Wheels	53	Nitrogen O-Ring and Sleeves		TPMS Valva laggets	
Drop Center Tool	21	Nylon Mount/Demount Head, Coats & Hunter Styles _		TPMS Valve Inserts	30
Dual Foot Air ChucksEconomy Ball-Bearing Stitcher	42	Other KnivesOTR Giant Tire Bead Breaker	49	Tri-Fold Brochure Holder	34
		OTR Giant Tire Bead Breaker	_ 23	Trimmer Blade	49
Electric Automatic Compressor Drain		Passenger Car Wheel Weight Tool		Truck Service Gauges Truck Tire Tread Depth Gauge	39
Electric Tire Brander		Personal Safety Equipment	. 19	Value Care	21
Electric Tire Brander with Auxiliary Handle		Plastic Handled Brass Sidewall Brush		Valve Caps	30
Euro-Style Wheel Weight Hammer		Pocket Truck Gauges	39	Value Hardware Tools	30
European Style Clip-On Chucks		Polyplugs for Flared Contour Wheels	52	Valve Nut Torque Wrenches	14
External Adjustable Calibration Gauge		Premium Fiberglass Wheel Weight Hammer		Wall Grid System	
Extreme-Flex Air Hoses		Professional Screwdriver Set		Wheel Check Lease Wheel Net Indicators	56
EZ Break Anti-Seize		Professional Stitchers	50	Wheel Cleaner	
EZ Sensor 315 MHz Programmable TPMS Sensor _		Push Through Patch/Plug		Wheel Leek Permanal Kit	46
Field Service Gauge	_ 38	Quart Cement Dispenser with Plastic Handle Brush _		Wheel Torque Wrenches	20
Filter/Regulator Combination Units		Quick Change Surface Conditioning Discs		Wheel Torque Wrenches	
"Filters-Regulators-Lubricators" Accessories		Regulators		Wooden Handled Wire Brush with Metal Scraper	
Flared Contour/Precision Contour Wheels		Replacement Aluminum Valve Stem		Yellow Rubber Coated Bead Keeper	22
Foldable Inflation Cage	43	Replacement Rib Nuts	47		


Replacement Sockets for 2849 Set_

NEW ITEMS



2011NEW&IMPROVED

	Ascot No.	Mfg. No.	Description	Page
	121-23825	N/A	3/8" x 25' Extreme-Flex Air Hose	6
	121-23850	N/A	3/8" x 50' Extreme-Flex Air Hose	6
EMS	123-03812	38-12	3/8 x 12' Blue Polyurethane Recoil Air Hose Cpld ¼" Male x Male Swivel Reusable Couplings	6
AIR SYSTEMS	123-03825	38-25	3/8" x 25' Blue Polyurethane Recoil Air Hose Cpld ¼" Male x Male Swivel Reusable couplings	6
S E	158-10873	A873K	Low Speed Tire Buffer with Quick Change Slip Chuck	8
4	153-02312	IR231HA-2	IR 231HA-2 1/2" Super Duty Air Impact Wrench with 2" Extended Anvil	9
	155-02856	IR285B-6	1" Drive Heavy Duty Air Impact Wrench	9
WHEEL SERVICE PRODUCTS	168-22110	122110M	1/2" Drive 22mm 110 Ft./Lb. Torque Socket - Copper Applications: Buick LaCrosse 2010+, Regal 2011+, Cadillac XTS 2011+, Chevrolet Camaro 2011+, Saab 9-4X 2010+	15
SEI	168-12254	122115M	1/2" Drive 22mm 154 Ft./Lb. Torque Socket - Pink Applications: Toyota Land Cruiser 2004-06, 2008+, Tundra	15
ن بياخ	319-09125	029A66S	Slotted Screwdriver	18
AUTO/ FLEET SVG.	319-09144	R44PGB	Slotted Screwdriver	18
	401-02841	12840-13	1/2" Drive 13-Piece Wheel Lock Removal Kit	20
	473-00006	BB6L	Bead Bazooka with Auto Release System	23
	444-01222	TC450310A	Nylon Mount/Demount Head for Coats, Corghi & Hunter Tire Changers	24
	395-13124	VT-932	Plastic Handled Brass Sidewall Brush	25
	535-00150	VT-931	Wooden Handled Wire Brush with Metal Scraper	25
	452-01201	BI-NTC-1000-TB-120WH	Electric Tire Brander w/ Auxiliary Handle	26
	454-00209	NS209S	Digital Tread Depth Gauge	26
	454-01599	599-C	3-Color Tread Depth Gauge	27
병	454-01420	HT-1420	Truck Tire Tread Depth Gauge	27
TIRE & WHEEL SERVICE	417-39120	3912BLUEF	2" Quick Change Surface Conditioning Discs - Blue-Fine	28
8	417-39121	3912MARNM	2" Quick Change Surface Conditioning Discs - Maroon-Medium	28
単し	417-39122	3912BRWNC	2" Quick Change Surface Conditioning Discs - Brown-Coarse	28
×	459-80220	80220	Markal B White Paintstick - 144 per Case	28
w W	459-80221	80221	Markal B Yellow Paintstick - 144 per Case	28
	459-80257	80257	Ascot B White Paintstick - 144 per Case	28
	459-80258	80258	Ascot B Yellow Paintstick - 144 per Case	28
	459-80271	80271	Ascot B Orange Paintstick - 144 per Case	28
	494-01010	008910	EZ Break Anti-Seize - 10 Oz. Can w/ Brush-In Cap - 24 per Case	28
	494-08916	008916	EZ Break Anti-Seize - 14 Oz. Aerosol Can - 12 per Case	28
	461-11048	1048HP	High Pressure Ford Banded Sensor	29
	461-28308	28308	Chrysler Snap-In Replacement Transmitter	29
	461-28434	28434	Chrysler Snap-In Replacement Transmitter	29
	461-28461	28461	Chrysler Snap-In Replacement Transmitter	29





Ascot Supply Corporation is committed to bringing you the **newest and most** advanced brand name equipment, tools and supplies for the tire industry.

Please take a look at our listing below to see all the new items we have to offer in our 2011 Warehouse Catalog.

Ascot No.	Mfg. No.	Description	Pag
461-33000	33000	EZ Sensor 315 MHz Programmable TPMS Sensor	30
469-00925	US-925A	Dill Aluminum Replacement TPMS Stem	31
469-34000	34000	Replacement Aluminum Valve Stem	31
469-15105	5105HP	Ford Complete Banded High Pressure Sensor Package	32
469-40010	WRTEZS-STK10	Bartec EZ Sensor Starter Kit	34
469-40015	WRTEZS-STK15	Bartec EZ Sensor Starter Kit - 2 EZ Sensors and 2 Aluminum Stems	34
469-40020	WRTEZS-STK20	Bartec EZ Sensor Starter Kit - 4 EZ Sensors and 4 Aluminum Stems	34
469-40035	WRTEZS-STK35	Bartec Programming Fixture	34
469-20144	20144	Grommet Removal Tool	37
477-00130	H-30	Digital Tire Inflator Gauge—21" Hose	40
477-00136	H-30-6	Digital Tire Inflator Gauge—6' Hose	40
479-36015	MIC-OTR	60" 5-Bar Tire Inflation Cage	43
451-00013	13-cbb-inj	Injector Pump for Counteract Beads	44
451-00201	1 oz. BP	1 Oz. Bag in Bag of Counteract Passenger Balancing Beads - 160 Bags per Case	44
451-00202	2 oz. BP	2 Oz. Bag in Bag of Counteract Passenger Balancing Beads - 128 Bags per Case	44
451-00203	3 oz. BP	3 Oz. Bag in Bag of Counteract Passenger Balancing Beads - 96 Bags per Case	44
451-00204	4 oz. B	4 Oz. Bag in Bag of Counteract Beads - 92 Bags per Case	44
451-00205	5 oz. B	5 Oz. Bag in Bag of Counteract Beads - 76 Bags per Case	44
451-00206	6 oz. B	6 Oz. Bag in Bag of Counteract Beads - 64 Bags per Case	44
451-00208	8 oz. B	8 Oz. Bag in Bag of Counteract Beads - 52 Bags per Case	44
451-00210	10 oz. B	10 Oz. Bag in Bag of Counteract Beads - 40 Bags per Case	44
451-00212	12 oz. B	12 Oz. Bag in Bag of Counteract Beads - 36 Bags per Case	44
451-00214	14 oz. B	14 Oz. Bag in Bag of Counteract Beads - 32 Bags per Case	44
451-00216	16 oz. B	16 Oz. Bag in Bag of Counteract Beads - 28 Bags per Case	44
451-00301	1 oz. SS	1 Oz. Stainless Steel Counteract Beads - 160 Bags per Case	44
451-00302	2 oz. SS	2 Oz. Stainless Steel Counteract Beads - 128 Bags per Case	44
451-00303	3 oz. SS	3 Oz. Stainless Steel Counteract Beads - 96 Bags per Case	44
451-00304	4 oz. SS	4 Oz. Stainless Steel Counteract Beads - 92 Bags per Case	44
486-33580	3358	Heavy Duty Wheel Weight Hammer	45
486-33584	335804	Replacement Head	45
486-11000	P110	Premium Fiberglass Wheel Weight Hammer	45
486-11002	P110-2	Replacement Small Hook for Premium Wheel Weight Hammer	45
486-11003	P110-3	Replacement Large Hook for Premium Wheel Weight Hammer	45
486-11004	P110-4	Replacement Tip for Premium Wheel Weight Hammer	45
486-75017	WC-1G	Wheel Cleaner - 1 Gallon	46
486-75032	WC-32	Wheel Cleaner - 32 oz. spray bottle	46
492-04240	LT-4240	5 Pc. Locking Lug Nut Twist Socket Removal Kit	46
532-14381	14-381	Quart Cement Dispenser with Plastic Handle Brush	49

www.ascotsupply.com

ASCOT SUPPLY CORPORATION

YOUR ONE SOURCE FOR QUALITY BRAND NAME EQUIPMENT, TOOLS AND SUPPLIES FOR THE TIRE INDUSTRY



Ask Your Sales Representative For Your Copy of the Complete Ascot Buyer's Guide!

Your ASCOT Distributor:



